

INFORMATION

Bibliography of Salmonids published in Japan (11): 1996

Edited by Shigehiko Urawa

*Research Division, National Salmon Resources Center, Fisheries Agency of Japan,
2-2 Nakanoshima, Toyohira-ku, Sapporo 062-0922, Japan*

This current salmonid bibliography, distributed yearly since 1988, covers scientific publications in Japan. The former ten issues were published in Technical Reports of Hokkaido Salmon Hatchery (Fish and Eggs), No. 157-163, Scientific Reports of Hokkaido Salmon Hatchery, No. 49-50, and Bulletin of National Salmon Resources Center, No. 1. Titles are given in English for all articles. A reprint of article may be available from the author. An author's address is shown in square brackets following the citation. This 11th issue has covered literature published in 1996. The bibliography is divided into the following sections:

Ecology-General	61
Distribution and Migrations	61
Breeding and Reproduction	62
Feeding, Diets, and Growth	63
Population and Management	63
Morphology, Taxonomy and Phylogeny	64
Physiology and Endocrinology	64
Biochemistry	65
Genetics	66
Diseases and Parasites	67
Water Quality and Environment	68
Toxicology	68
Politics	69
Author Index	70

Key words: salmonid fish, bibliography, Japan

Ecology-General

96-001 Interspecific competition and coexistence in freshwater-dwelling salmonids: a review. Nakano, S., and Y. Taniguchi. 1996. Japan. J. Ichthyol., 43: 59-78. In Japanese. [Tomakomai Research Station, Hokkaido University Forests, Takaoka, Tomakomai 053-0035, Japan]

96-002 Fish population responses to stream habitat improvement in a concrete-lined channel. Toyoshima, T., S. Nakano, M. Inoue, Y. Ono, and Y. Kurashige. 1996. Japan. J. Ecol., 46: 9-20. In Japanese with English summary. [Laboratory of Geocology, Graduate School of Environmental Earth Science, Hokkaido University, Sapporo 060-

0810, Japan]

Distribution and Migrations

96-003 Assessment of hatchery origin and wild masu salmon (*Oncorhynchus masou*) smolts in the Masuhoro River, 1995. Irvine, J. R., Y. Miyakoshi, H. Hayano, M. Fujiwara, K. Sugiwaka, M. Miyamoto, and M. Nagata. 1996. Sci. Rep. Hokkaido Fish Hatchery, 50: 1-16. [Fisheries and Oceans, Pacific Biological Station, Nanaimo, BC, Canada V9R 5K6]

96-004 Effects of population density and habitat environment on life history strategy and migration of juvenile sockeye (*Oncorhynchus nerka*) and chum salmon (*O. keta*). Kaeriyama, M. 1996. Sci. Rep. Hokkaido Salmon Hatchery, 50: 101-111. [National Salmon Resources Center, Fisheries Agency of Japan, 2-2 Nakanoshima, Toyohira-ku, Sapporo 062-

0922, Japan]

96-005 Records of the boreal fishes from Suruga Bay, Enshu-nada and Kumano-nada, central Japan. Kubota, T., and O. Tsukada. 1996. Bull. Inst. Oceanic Res. Develop., Tokai Univ., 17: 55-64. In Japanese with English summary. [Department of Fisheries, School of Marine Science and Technology, Tokai University, 3-20-1 Orido, Shimizu, Shizuoka 424-0902, Japan]

96-006 Apparent movement patterns of juvenile masu salmon (*Oncorhynchus masou*) in the coastal waters near Cape Erimo, Hokkaido, Japan. Mano, S. 1996. Sci. Rep. Hokkaido Fish Hatchery, 50: 17-28. In Japanese with English summary. [Hokkaido Fish Hatchery, Kita-kashiwagi 3, Eniwa, Hokkaido 061-1433, Japan]

96-007 Latitudinal variations in distribution and abundance of plankton and salmonids in the northern Pacific Ocean and Bering Sea in early summer. Nagasawa, K., A. Shiimoto, K. Tadokoro, and Y. Ishida. 1996. Salmon Report Series, 41: 81-96. [National Research Institute of Far Seas Fisheries, 5-7-1 Orido, Shimizu, Shizuoka 424-0902, Japan]

96-008 Distribution and biology of epipelagic animals in the northern North Pacific Ocean and adjacent seas-I. Fishes and squids in the southern Okhotsk Sea and western North Pacific Ocean off the Kuril Islands in the autumn of 1993. Nagasawa, K., Y. Ueno, T. Azuma, M. Ogura, A. V. Startsev, I. M. Ivanova, and J. F. T. Morris. 1996. Bull. Nat. Res. Inst. Far Seas Fish., 33: 149-170. [National Research Institute of Far Seas Fisheries, Fisheries Agency of Japan, 5-7-1 Orido, Shimizu, Shizuoka 424-0902, Japan]

96-009 Effect time of larval release on return rate in chum salmon (*Oncorhynchus keta*) in the Hiroo River, Hokkaido, Japan. Seki, J., and I. Shimizu. 1996. Bull. Japan. Soc. Fish. Oceanogr., 60: 339-347. In Japanese with English summary. [National Salmon Resources Center, Fisheries Agency of Japan, 2-2 Nakanoshima, Toyohira-ku, Sapporo 062-0922, Japan]

96-010 A study on the mesh selectivity of salmon research gillnets. Takagi, K. 1996. Bull. Nat. Res. Inst. Far Seas Fish., 33: 17-122. In Japanese with English summary. [Fuyo Ocean Development & Engineering Co. Ltd., 1-8-2 Torigoe, Taito-ku, Tokyo 111-0054, Japan]

96-011 Summer distribution and migration routes of juvenile chum salmon (*Oncorhynchus keta*) originating from rivers in Japan. Ueno, Y., and Y. Ishida. 1996. Bull. Nat. Res. Inst. Far Seas Fish., 33: 139-147. [National Research Institute of Far Seas Fisheries, 5-7-1 Orido, Shimizu, Shizuoka 424-0902, Japan]

96-012 The origins of juvenile chum salmon distributed in the Sea of Okhotsk and Pacific waters off the Kuril Islands. Ueno, Y., J. Seki, I. Shimizu, and Y. Kojima. 1996. Salmon Report Series, 41: 128-146. [National Research Institute of Far Seas Fisheries, 5-7-1 Orido, Shimizu, Shizuoka 424-0902, Japan]

96-013 Residual female parr in an anadromous population of white-spotted charr, *Salvelinus leucomenis*, in southern Hokkaido, Japan. Yamamoto, S., Y. Takahashi, S. Kitano, and A. Goto. 1996. Japan. J. Ichthyol., 43: 101-104. In Japanese. [Faculty of Fisheries, Hokkaido University, Hakodate, Hokkaido 041-0821, Japan]

96-014 Development of ultrasonic telemetry technique for investigating the magnetic sense of salmonids. Yano, A., M. Ogura, A. Sato, Y. Sakaki, M. Ban, and K. Nagasawa. 1996. Fish. Sci., 62: 698-704. [Graduate School of Science and Technology, Chiba University, Inage, Chiba 263-0022, Japan]

96-015 Behavioral tests for magnetic sensitivity of hime salmon (kokanee: land-locked sockeye salmon *Oncorhynchus nerka*). Yano, A., A. Sato, T. Miyata, Y. Mizutani, Y. Sakaki, S. Kitamura, K. Ikuta, and M. Ogura. 1996. Nippon Suisan Gakkaishi, 62: 911-919. In Japanese with English summary. [Graduate School of Science and Technology, Chiba University, Inage, Chiba 263-0022, Japan]

Breeding and Reproduction

96-016 Study methods of sexual selection in fishes-field observations, experiments and analyses. Karino, K. 1996. Japan. J. Ichthyol., 43: 1-11. In Japanese. [Sesoko Station, Tropical Biosphere Research Center, University of the Ryukyu, Sesoko 3422, Motobu, Okinawa 905-0227, Japan]

96-017 Natural reproduction of coho salmon *Oncorhynchus kisutch* population introduced in a pond-associated stream in Hokkaido, Japan. Taniguchi, Y., H. Urabe, and S. Nakano. 1996. Fish. Sci., 62: 992-993. [Graduate School of Environ-

mental Earth Science, Hokkaido University, Kita, Sapporo 060-0810, Japan]

Feeding, Diets, and Growth

96-018 Growth and nutritional aspects of juvenile chum and pink salmon migrating in the Okhotsk Sea and the northwest Pacific Ocean. Azuma, T. 1996. Salmon Report Series, 41: 153-174. [Nikko Branch, National Research Institute of Aquaculture, 2-482-3 Chugushi, Nikko, Tochigi 321-1661, Japan]

96-019 Allometry of amago salmon *Oncorhynchus rhodurus* in Okayama Prefecture. Fukuda, T., and H. Yamanoi. 1996. Bull. Fish. Exp. Stat. Okayama Pref., 11: 7-13. In Japanese with English summary. [Fisheries Experiment Station, Okayama Prefecture, Ushimado, Okayama 701-4303, Japan]

96-020 Allometric back-calculation of individual growth for chum salmon otolith during early life. Fukuwaka, M. 1996. Sci. Rep. Hokkaido Salmon Hatchery, 50: 113-116. [National Salmon Resources Center, Fisheries Agency of Japan, 2-2 Nakano-shima, Toyohira-ku, Sapporo 062-0922, Japan]

96-021 Relationship between the growth of juvenile masu salmon (*Oncorhynchus masou*) and the circuli number, scale and central plate radii. Kato, T. 1996. Bull. Natl. Res. Inst. Aquaculture, 25: 1-15. In Japanese with English summary. [National Research Institute of Aquaculture, Nansei, Mie 516-0108, Japan]

96-022 Growth and caloric contents of wild and hatchery masu salmon, *Oncorhynchus masou* during their first growing season in a Hokkaido stream. Nagata, M. 1996. Sci. Rep. Hokkaido Fish Hatchery, 50: 29-36. In Japanese with English summary. [Hokkaido Fish Hatchery, Kita-kashiwagi 3, Eniwa, Hokkaido 061-1433, Japan]

96-023 Feeding ratio of yamame *Oncorhynchus masou*. Ootomo, Y. 1996. Bull. Saitama Pref. Fish. Exp. Stat., 54: 17-36. In Japanese. [Saitama Prefectural Fisheries Experiment Station, Kitakohama 1060, Kazo, Saitama 347-0011, Japan]

96-024 Growth pattern and age determination by scales of lacustrine sockeye salmon in Lake Toya. Sakano, H., M. Kaeriyama, H. Ueda, Y. Sakurai, and K. Shimazaki. 1996. Sci. Rep. Hokkaido Salmon Hatchery, 50: 125-138. In Japanese with English summary. [Laboratory of Marine Ecology, Faculty of

Fisheries, Hokkaido University, 3-1-1 Minato, Hakodate, Hokkaido 041-0821, Japan]

96-025 Growth and feeding habits of anadromous white-spotted charr (*Salvelinus leucomaenoides*) in southwestern Hokkaido, Japan. Takami, T., Y. Murakami, and M. Mori. 1996. Sci. Rep. Hokkaido Fish Hatchery, 50: 37-44. [Hokkaido Fish Hatchery, Kita-kashiwagi 3, Eniwa, Hokkaido 061-1433, Japan]

96-026 Predation on chum salmon (*Oncorhynchus keta*) fry and masu salmon (*O. masou*) juveniles by white-spotted charr (*Salvelinus leucomaenoides*) in a river in northern Japan. Takami, T., and K. Nagasawa. 1996. Sci. Rep. Hokkaido Fish Hatchery, 50: 45-47. [Hokkaido Fish Hatchery, Kita-kashiwagi 3, Eniwa, Hokkaido 061-1433, Japan]

96-027 Interspecific relationship by composition of stomach contents of fish at Akkeshi-ko, an estuary at eastern Hokkaido, Japan. Watanabe, K., T. Minami, H. Iizumi, and S. Imamura. 1996. Bull. Hokkaido Natl. Fish. Res. Inst., 60: 239-276. In Japanese with English summary. [Japan Sea-Farming Association, Akkeshi Station, Chikushikoi, Akkeshi, Hokkaido 088-1108, Japan]

96-028 The effect of starvation on individual catchability and hook-avoidance learning of rainbow trout. Yoneyama, K., T. Matsuoka, and G. Kawamura. 1996. Nippon Suisan Gakkaishi, 62: 236-242. In Japanese with English summary. [Faculty of Fisheries, Kagoshima University, Shimoarata, Kagoshima 890-0056, Japan]

Population and Management

96-029 Salmon stock assessment in the North Pacific Ocean in 1995. Ishida, Y., and S. Ito. 1996. Salmon Report Series, 41: 7-45. [National Research Institute of Far Seas Fisheries, 5-7-1 Orido, Shimizu, Shizuoka 424-0902, Japan]

96-030 Density dependent growth of pink salmon (*Oncorhynchus gorbuscha*) in the Bering Sea and western North Pacific. Ishida, Y., S. Ito, and K. Murai. 1996. Salmon Report Series, 41: 103-120. [National Research Institute of Far Seas Fisheries, 5-7-1 Orido, Shimizu, Shizuoka 424-0902, Japan]

96-031 Salmon tagging experiments and recovery of salmon lacking adipose fin collected by Japanese salmon research vessels in the North Pacific Ocean,

1995. Ito, S. 1996. Salmon Report Series, 41: 49-53. [National Research Institute of Far Seas Fisheries, 5-7-1 Orido, Shimizu, Shizuoka 424-0902, Japan]

96-032 Age composition of salmonids collected by the fisheries within Russian 200 mile zone in 1994. Ito, S. 1996. Salmon Report Series, 41: 177-180. [National Research Institute of Far Seas Fisheries, 5-7-1 Orido, Shimizu, Shizuoka 424-0902, Japan]

96-033 Rehabilitation of wild chum salmon population in Japan. Kaeriyama, M., and H. Mayama. 1996. Tech. Rep. Hokkaido Salmon Hatchery, 165: 41-52. In Japanese with English summary. [National Salmon Resources Center, Fisheries Agency of Japan, 2-2 Nakanoshima, Toyohira-ku, Sapporo 062-0922, Japan]

96-034 Summary of Japan-Russia cooperative juvenile salmon research aboard the research vessel *Wakashio-maru* in 1995. Ueno, Y., and I. Shimizu. 1996. Salmon Report Series, 41: 66-72. [National Research Institute of Far Seas Fisheries, 5-7-1 Orido, Shimizu, Shizuoka 424-0902, Japan]

Morphology, Taxonomy and Phylogeny

96-035 Genetic relationship among three subspecies of *Oncorhynchus masou* determined by mitochondrial DNA sequence analysis. Oohara, I., and T. Okazaki. 1996. Zool. Sci., 13: 189-198. [National Research Institute of Aquaculture, Nansei, Watarai, Mie 516-0108, Japan]

Physiology and Endocrinology

96-036 Effects of starvation and refeeding on physiological condition of juvenile chum salmon, *Oncorhynchus keta*. Ban, M., H. Hasegawa, and M. Ezure. 1996. Sci. Rep. Hokkaido Salmon Hatchery, 50: 117-123. In Japanese with English summary. [National Salmon Resources Center, Fisheries Agency of Japan, 2-2 Nakanoshima, Toyohira-ku, Sapporo 062-0922, Japan]

96-037 Simple purification of growth hormone from chum salmon (*Oncorhynchus keta*). Fukada, H., K. Gen, N. Hiramatsu, K. Ura, and A. Hara. 1996. Bull. Fac. Fish. Hokkaido Univ., 47: 31-39. In Japanese with English summary. [Laboratory of Marine Biology, Research Institute of North Pacific Ocean, Faculty of Fisheries, Hokkaido University, 3-1-1 Minato, Hakodate, Hokkaido 041-0821, Japan]

96-038 Evaluation of seawater adaptability of 0⁺ Japanese char related to possibility of the culture in seawater. Gorie, S. 1996. Fish. Sci., 62: 384-387. [Hyogo Prefectural Fisheries Experimental Station, Minami-futami, Akashi, Hyogo 674-0093, Japan]

96-039 Effects of osmotic stimulation on expression of neurohypophyseal hormone genes in pre-spawning chum salmon. Hiraoka, S., S. Hyodo, K. Kubokawa, H. Ando, and A. Urano. 1996. Zool. Sci., 13: 737-745. [Division of Biological Sciences, Graduate School of Science, Hokkaido University, Sapporo 060-0808, Japan]

96-040 Fish 3 β -hydroxysteroid dehydrogenase/ Δ^5 - Δ^4 isomerase: antibody production and their use for the immunohistochemical detection of fish steroidogenic tissues. Kobayashi, T., X. -T. Chang, M. Nakamura, H. Kajiura, and Y. Nagahama. 1996. Zool. Sci., 13: 909-914. [Laboratory of Reproductive Biology, National Institute for Basic Biology, Okazaki, Aichi 444, Japan]

96-041 Changes in auditory capability of masu salmon by swimbladder resonance of rainbow trout. Kojima, T., S. Kitamura, K. Ikuta, Y. Sugiyama, K. Yoza, and H. Soeda. 1996. Fish. Sci., 62: 146-147. [Department of Fisheries, College of Agriculture and Veterinary Medicine, Nihon University, Kameino, Fujisawa, Kanagawa 252-0813, Japan]

96-042 Immunocytochemical investigation of a salmonid olfactory system-specific protein in the kokanee salmon (*Oncorhynchus nerka*). Kudo, H., H. Ueda, and K. Yamauchi. 1996. Zool. Sci., 13: 647-653. [Toya Lake Station for Environmental Biology, Faculty of Fisheries, Hokkaido University, Abuta, Hokkaido 049-5723, Japan]

96-043 Sequential changes in urotensin immunoreactivity patterns in the trout, *Oncorhynchus mykiss*, caudal neurosecretory system in response to seawater challenge. Larson, B. A., and Z. Madani. 1996. Zool. Sci., 13: 403-414. [Biology Department, Armstrong State College, Savannah, Georgia 31419, USA]

96-044 Prolactin kinetics during freshwater adaptation of mature chum salmon, *Oncorhynchus keta*. Ogasawara, T., T. Sakamoto, and T. Hirano. 1996. Zool. Sci., 13: 443-447. [Faculty of Science, Kanagawa University, Hiratsuka, Kanagawa 259-1205, Japan]

96-045 Energy requirements for maintenance of

body weight and activity, and for maximum growth in rainbow trout. Ohta, M., and T. Watanabe. 1996. Fish. Sci., 62: 737-744. [Aquaculture Research Center, Nippon Formula Feed Mfg. Co. Ltd., Oozima, Yaizu, Shizuoka 425-0066, Japan]

96-046 Two types of cDNAs encoding proopiomelanocortin of sockeye salmon, *Oncorhynchus nerka*. Okuta, A., H. Ando, H. Ueda, and A. Urano. 1996. Zool. Sci., 13: 421-427. [Division of Biological Sciences, Graduate School of Science, Hokkaido University, Sapporo, Hokkaido 060-0808, Japan]

96-047 The assessment of physiological condition in accelerated juvenile of sockeye salmon (*Oncorhynchus nerka* (Walbaum)). Tolstiak, T. I. 1996. Salmon Report Series, 41: 193-200. [Kamchatka Research Institute of Fisheries and Oceanography (KamchatNIRO), 18 Nabereznaya St., Peteropavlovsk-Kamchatsky 683000, Russia]

96-048 Enhanced chloride cell turnover in the gills of chum salmon fry in seawater. Uchida, K., and T. Kaneko. 1996. Zool. Sci., 13: 655-660. [Ocean Research Institute, University of Tokyo, Nakano, Tokyo 164-0014, Japan]

96-049 Homing mechanisms in salmon: roles of vision and olfaction. Ueda, H., M. Kaeriyama, K. Kurihara, and K. Yamauchi. 1996. Nippon Suisan Gakkaishi, 62: 138-139. In Japanese. [Toya Lake Station for Environmental Biology, Faculty of Fisheries, Hokkaido University, Tsukiura, Abuta, Hokkaido 049-5723, Japan]

96-050 Acute toxic effect of L-cysteine injected into the peritoneal cavity of the rainbow trout. Yokoyama, M., and M. Sakaguchi. 1996. Fish. Sci., 62: 660-661. [National Research Institute of Fisheries Science, Fukuura, Kanazawa, Yokohama 236-0004, Japan]

Biochemistry

96-051 Adsorption of serum lipoproteins from rainbow trout to dextran sulfate cellulose. Ando, S. 1996. Fish. Sci., 62: 410-415. [Department of Fisheries Science, Kagoshima University, Kagoshima 890-0056, Japan]

96-052 Glycoproteins in red cell membranes from carp and rainbow trout. Aoki, T., M. Fukai, and R. Ueno. 1996. Fish. Sci., 62: 498-499. [Faculty of Bioresources, Mie University, Tsu, Mie 514-0001, Japan]

96-053 Denaturation by freezing of fish muscle proteins. Fukuda, Y. 1996. Bull. Natl. Res. Inst. Fish. Sci., 8: 77-92. In Japanese with English summary. [National Research Institute of Fisheries Science, Fukuura 2-12-4, Kanazawa-ku, Yokohama 236-0004, Japan]

96-054 Bile salt composition and distribution of the D-cysteinolic acid conjugated bile salts in fish. Goto, T., T. Ui, M. Une, T. Kuramoto, K. Kihira, and T. Hoshita. 1996. Fish. Sci., 62: 606-609. [Department of Chemistry and Biochemistry, Numazu College of Technology, Ooka, Numazu, Shizuoka 410-0022, Japan]

96-055 Influence of cysteine protease inhibitor (E-64) on *modori* (gel degradation) in salted surimi paste of chum salmon (*Oncorhynchus keta*). Iida, T., T. Nishikiori, and H. Takahashi. 1996. Sci. Rep. Hokkaido Fish. Exp. Stn., 48: 19-25. In Japanese with English summary. [Hokkaido Kushiro Fisheries Experimental Station, Hama-cho, Kushiro, Hokkaido 085-0024, Japan]

96-056 Changes in peptide constituents during embryogenesis of yamame *Oncorhynchus masou*. Kanaya, S., Y. Kudo, S. Moki-Toda, and K. Katsura. 1996. Suisanzoshoku, 44: 203-210. [Department of Electrical and Information Engineering, Faculty of Engineering, Yamagata University, Yonezawa, Yamagata 992-0038, Japan]

96-057 Two-dimensional polyacrylamide gel electrophoresis of intracellular proteins. Ojima, N., T. Sakamoto, and M. Yamashita. 1996. Bull. Natl. Res. Inst. Fish. Sci., 8: 93-109. In Japanese with English summary. [National Research Institute of Fisheries Science, Fukuura, Kanazawa-ku, Yokohama 236-0004, Japan]

96-058 Effect of ozone treatment on preservation of "shoyu-zuke ikura" (salmon roe seasoned with soy sauce). Sakamoto, M., Y. Kawano, and H. Takahashi. 1996. Sci. Rep. Hokkaido Fish. Exp. Stn., 49: 31-33. In Japanese. [Hokkaido Kushiro Fisheries Experimental Station, Hama-cho, Kushiro, Hokkaido 085-0024, Japan]

96-059 Influence of dietary phosphorus levels on growth and mineral availability in rainbow trout. Satoh, S., N. Porn-Ngam, T. Takeuchi, and T. Watanabe. 1996. Fish. Sci., 62: 483-487. [Department of Aquatic Biosciences, Tokyo University of Fisheries, Konan, Minato, Tokyo 108-

0075, Japan]

96-060 Effect of dietary supplementation of *Chlorella*-extract on maturation of precocious strain of amago salmon, *Oncorhynchus masou ishikawai*. Unuma, T., T. Akiyama, T. Yamamoto, and H. Shimma. 1996. Bull. Natl. Res. Inst. Aquaculture, 25: 55-58. In Japanese with English summary. [National Research Institute of Aquaculture, Tamaki, Mie 519-0423, Japan]

96-061 Fatty acid compositions in glycerophospholipids from brain lobes of rainbow trout, carp and skipjack tuna. Ushio, H., T. Ohshima, and C. Koizumi. 1996. Fish. Sci., 62: 126-133. [Department of Food Science and Technology, Tokyo University of Fisheries, Konan 4, Minato, Tokyo 108-0075, Japan]

96-062 Digestible crude protein contents in various feedstuffs determined with four freshwater fish species. Watanabe, T., T. Takeuchi, S. Satoh, and V. Kiron. 1996. Fish. Sci., 62: 278-282. [Department of Aquatic Biosciences, Tokyo University of Fisheries, Konan, Minato, Tokyo 108-0075, Japan]

96-063 Assay of proteolytic activity in fish muscle. Yamashita, M. 1996. Bull. Natl. Res. Inst. Fish. Sci., 8: 111-122. In Japanese with English summary. [National Research Institute of Fisheries Science, Fukuura, Kanazawa-ku, Yokohama 236-0004, Japan]

96-064 Marked proteolysis occurring during thermal gel formation of the minced meat from matured chum salmon and restraining effect of protease inhibitor on gel-degradation. Yamashita, M., H. Henmi, T. Ueda, M. Obara, T. Taro, F. Nishioka, and S. Konagaya. 1996. Nippon Suisan Gakkaishi, 62: 934-938. In Japanese with English summary. [National Research Institute of Fisheries Science, Fukuura, Yokohama 236-0004, Japan]

96-065 Elevation of catheptic activity in the muscle of juvenile chum salmon during starvation. Yamashita, M., and M. Suzuki. 1996. Bull. Natl. Res. Inst. Fish. Sci., 8: 29-34. In Japanese with English summary. [National Research Institute of Fisheries Science, Fukuura, Kanazawa-ku, Yokohama 236-0004, Japan]

Genetics

96-066 Studies on the breeding of amago salmon, *Oncorhynchus masou ishikawai*-IV. Genetic vari-

ability, the fluviatile form and the sea-run form of amago salmon from the same origin. Gotoh, K. 1996. Rep. Gifu Pref. Fish. Exp. Stat., 41: 25-30. In Japanese. [Gifu Prefectural Fisheries Experimental Station, 2605 Hane, Hagiwara-cho, Masuda, Gifu 509-2506, Japan]

96-067 The adaptability for salinity and the influence of water temperature on growth in allotriploids induced by using female houraimasu (non-spotted rainbow trout). Hattori, K., and M. Maita. 1996. Bull. Aichi Fish. Res. Inst., 3: 43-48. In Japanese with English summary. [Marine Resources Research Center, Aichi Fisheries Research Institute, Toyohama, Minamichita, Aichi 470-3412, Japan]

96-068 Production of non-spotted homozygous (HH) rainbow trout by gynogenesis. Hattori, K., M. Mizuno, M. Ochiai, and M. Uemura. 1997. Suisanzoshoku, 44: 465-470. In Japanese with English summary. [Marine Resources Research Center, Aichi Fisheries Research Institute, Toyohama, Minamichita, Aichi 470-3412, Japan]

96-069 Studies on genetic improvement of useful fishes by chromosome manipulation-VIII. Induction of sex reversed tetraploid males of rainbow trout, *Oncorhynchus mykiss* and induction all female triploids by mating sex reversed tetraploid males and diploid females. Kuwada, T. 1996. Rep. Gifu Pref. Fish. Exp. Stat., 41: 41-46. In Japanese. [Gifu Prefectural Fisheries Experimental Station, 2605 Hane, Hagiwara-cho, Masuda, Gifu 509-2506, Japan]

96-070 Studies on ecological characteristics of all-female amago salmon, *Oncorhynchus masou ishikawai*-III. Genetic characteristics and spawning behavior of all-female amago salmon. Muto, Y., T. Hara, and K. Saito. 1996. Rep. Gifu Pref. Fish. Exp. Stat., 41: 17-23. In Japanese. [Gifu Prefectural Fisheries Experimental Station, 2605 Hane, Hagiwara-cho, Masuda, Gifu 509-2506, Japan]

96-071 Production of androgenetic diploids in amago salmon *Oncorhynchus masou ishikawai*. Nagoya, H., H. Okamoto, I. Nakayama, K. Araki, and H. Onozato. 1996. Fish. Sci., 62: 380-383. [Inland Station, National Research Institute of Aquaculture, Tamaki, Mie 519-0423, Japan]

96-072 Repetitive sequences in fish. Okada, N. 1996. Nippon Suisan Gakkaishi, 62: 689-690. In Japanese. [Laboratory of Molecular Evolution,

Faculty of Bioscience and Biotechnology, Tokyo Institute of Technology, 4259 Nagatsuta, Midori-ku, Yokohama 226-0027, Japan]

96-073 Utilization of genetic maps for fish hatchery management. Okamoto, N. 1996. Nippon Suisan Gakkaishi, 62: 683-684. In Japanese. [Department of Aquatic Biosciences, Tokyo University of Fisheries, Minato, Tokyo 108-0075, Japan]

96-074 Sequence variation in the mitochondrial DNA genome of two domesticated strains of rainbow trout *Oncorhynchus mykiss*. Oohara, I., and K. Sawano. 1996. Fish. Sci., 62: 994-995. [National Research Institute of Aquaculture, Nakatsu, Nansei, Watarai, Mie 516-0108, Japan]

96-075 Application of PCR primer pairs from rainbow trout to detect polymorphisms of CA repeat DNA loci in five confamilial species. Sakamoto, T., N. Okamoto, and Y. Ikeda. 1996. Fish. Sci., 62: 552-555. [Department of Aquatic Biosciences, Tokyo University of Fisheries, Minato, Tokyo 108-0075, Japan]

96-076 RFLP and VNTR markers isolated from the genomic DNA of rainbow trout and cytogenetic mapping by fluorescence in situ hybridization. Sakamoto, T., N. Okamoto, M. Ishii, M. Maita, and Y. Ikeda. 1996. Fish. Sci., 62: 719-722. [Department of Aquatic Biosciences, Tokyo University of Fisheries, Minato, Tokyo 108-0075, Japan]

96-077 Cloning and sequencing of rainbow trout β -globin cDNA. Yoshizaki, G., J.-H. Kang, K. Sakuma, T. Aoki, and F. Takashima. 1996. Fish. Sci., 62: 723-726. [Department of Aquatic Biosciences, Tokyo University of Fisheries, Konan, Minato, Tokyo 108-0075, Japan]

Diseases and Parasites

96-078 Antiviral activity of several Thai traditional herb extracts against fish pathogenic viruses. Direkbusarakom, S., A. Herunsalee, M. Yoshimizu, and Y. Ezura. 1996. Fish Pathol., 31: 209-213. [National Institute of Coastal Aquaculture, Songkhla, Thailand 90000]

96-079 Cold-water disease infection in cultured amago salmon *Oncorhynchus rhodurus*. Furutsuka-Uozumi, K., Y. Kawamura, and H. Yasunobu. 1996. Bull. Hyogo Pref. Fish. Exp. Stat., 33: 33-37. In Japanese with English summary. [Hyogo Prefectural

Fisheries Experimental Station, Minami-Futami, Akashi, Hyogo 674-0093, Japan]

96-080 "Rash" skin disease of rainbow trout. Kfoury, Jr., J. R., N. Okamoto, M. Tanaka, M. Yoshimizu, S. E. LaPatra, and M. Maita. 1996. Fish Pathol., 31: 197-201. [Department of Aquatic Biosciences, Tokyo University of Fisheries, Konan 4, Minato, Tokyo 108-0075, Japan]

96-081 Experimental infection of *Saprolegnia* spp. in rainbow trout eggs. Kitancharoen, N., and K. Hatai. 1996. Fish Pathol., 31: 49-50. [Division of Fish Diseases, Nippon Veterinary and Animal Science University, 1-7-1 Kyonan-cho, Musashino, Tokyo 180-0023, Japan]

96-082 Rapid detection of *Piscirickettsia salmonis* using microwave irradiation. Larenas, J., C. Astorga, J. Contreras, H. Garces, J. Fryer, and P. Smith. 1996. Fish Pathol., 31: 231-232. [School of Veterinary Sciences, University of Chile, Casilla 2, Correo 15, Santiago, Chile]

96-083 Pathophysiological studies on erythrocytic inclusion body syndrome in sea-cultured coho salmon. Maita, M., N. Okamoto, K. Takahashi, A. Kumagai, S. Wada, and Y. Ikeda. 1996. Fish Pathol., 31: 151-155. [Department of Aquatic Biosciences, Tokyo University of Fisheries, Konan 4, Minato, Tokyo 108-0075, Japan]

96-084 The effects of anemia artificially induced by bleeding on blood constituents, concentration of ATP-related compounds and Na⁺-K⁺ ATPase activity in gill and kidney of coho salmon. Maita, M., H. Ushio, and N. Okamoto. 1996. Fish Pathol., 31: 237-238. In Japanese with English summary. [Department of Aquatic Biosciences, Tokyo University of Fisheries, Konan, Minato, Tokyo 108-0075, Japan]

96-085 Metalloprotease produced by *Listonella anguillarum* shows similar activity to plasma activated protein C in rainbow trout coagulation cascade. Morita, J., S. Suzuki, and R. Kusuda. 1996. Fish Pathol., 31: 9-17. [United Graduate School of Agricultural Science, Ehime University, Matsuyama, Ehime 790-0905, Japan]

96-086 Immunogold technique applied to electron microscopy of infectious pancreatic necrosis virus (IPNV). Novoa, B. 1996. Fish Pathol., 31: 141-143. [Instituto de Investigaciones Marinas, CSIC, Eduardo Cabello 6, 36208 Vigo, Spain]

96-087 Efficacy of a serum-free medium for the culture of salmonid fish leucocytes. Rodriguez, S., M. P. Vilas, M. C. Gutierrez, and S. I. Perez. 1996. Fish Pathol., 31: 229-230. [S. I. Perez: Centro de Investigaciones Biologicas (Consejo Superior de Investigaciones Cientificas), Departamento de Microbiologia Molecular, C/Velazquez 144, 28006 Madrid, Spain]

96-088 *In vitro* influence of heat extract from firefly squid *Watasenia scintillans* on the phagocyte and lymphocyte activities in rainbow trout *Oncorhynchus mykiss*. Siwicki, A. K., T. Miyazaki, I. Komatsu, and T. Matsusato. 1996. Fish Pathol., 31: 1-7. [Fish Pathology and Immunology Research Laboratory, Inland Fisheries Institute, 05-500 Piaseczno, Poland]

96-089 *Oncorhynchus masou* virus: serological relationships among salmonid herpesviruses isolated from kokanee salmon, masu salmon, coho salmon and rainbow trout. Sung, J. T., M. Yoshimizu, T. Nomura, and Y. Ezura. 1996. Sci. Rep. Hokkaido Salmon Hatchery, 50: 139-144. [Laboratory of Microbiology, Faculty of Fisheries, Hokkaido University, Minato 3-1-1, Hakodate, Hokkaido 041-0821, Japan]

96-090 *Oncorhynchus masou* virus: pathogenicity of salmonid herpesvirus 2 strains against masu salmon fry (*Oncorhynchus masou*). Sung, J. T., M. Yoshimizu, T. Nomura, and Y. Ezura. 1996. Sci. Rep. Hokkaido Salmon Hatchery, 50: 145-148. [Laboratory of Microbiology, Faculty of Fisheries, Hokkaido University, Minato 3-1-1, Hakodate, Hokkaido 041-0821, Japan]

96-091 Development of machine for automatic disinfection of chum salmon egg. Takubo, T., T. Nomoto, and K. Tomita. 1996. Tech. Rep. Hokkaido Salmon Hatchery, 165: 1-7. In Japanese. [National Salmon Resources Center, Fisheries Agency of Japan, 2-2 Nakanoshima, Toyohira-ku, Sapporo 062-0922, Japan]

96-092 Study on vitamin E deficiency in amago salmon. Taveekijakarn, P., T. Miyazaki, M. Matsumoto, and S. Arai. 1996. Bull. Fac. Bioresources, Mie Univ., 16: 17-24. [Faculty of Bioresources, Mie University, 1515 Kamihama, Tsu, Mie 514-0001, Japan]

96-093 Identification of *Flexibacter maritimus*,

Flavobacterium branchiophilum and *Cytophaga columnaris* by PCR targeted 16S ribosomal DNA. Toyama, T., K. Kita-Tsukamoto, and H. Wakabayashi. 1996. Fish Pathol., 31: 25-31. [Department of Fisheries, University of Tokyo, Yayoi 1-1-1, Bunkyo-ku, Tokyo 113-0032, Japan]

96-094 Pharmacokinetics of nalidixic acid and sodium nifurstyrenate in cultured fish following bolus intravascular administration. Uno, K., T. Aoki, R. Ueno, and I. Maeda. 1996. Fish Pathol., 31: 191-196. [Department of Food Science, Konan Women's College, Konan, Aichi 483, Japan]

96-095 The pathobiology of ectoparasitic protozoans on hatchery-reared Pacific salmon. Urawa, S. 1996. Sci. Rep. Hokkaido Salmon Hatchery, 50: 1-99. [National Salmon Resources Center, Fisheries Agency of Japan, 2-2 Nakanoshima, Toyohira-ku, Sapporo 062-0922, Japan]

Water Quality and Environment

96-096 Dissolved nitrogen and nitrogen-cycle in groundwater. Shimizu, I. 1996. Tech. Rep. Hokkaido Salmon Hatchery, 165: 53-56. In Japanese. [National Salmon Resources Center, Fisheries Agency of Japan, 2-2 Nakanoshima, Toyohira-ku, Sapporo 062-0922, Japan]

96-097 Water jet system for automatic pond cleaning for chum salmon fry. Takubo, T., T. Nomoto, I. Yagisawa, and A. Wada. 1996. Tech. Rep. Hokkaido Salmon Hatchery, 165: 9-17. In Japanese. [National Salmon Resources Center, Fisheries Agency of Japan, 2-2 Nakanoshima, Toyohira-ku, Sapporo 062-0922, Japan]

Toxicology

96-098 Evaluation of pesticides used in golf links by acute toxicity test on rainbow trout. Kikuchi, M., T. Miyagaki, and M. Wakabayashi. 1996. Nippon Suisan Gakkaishi, 62: 414-419. In Japanese with English summary. [Tokyo Metropolitan Research Institute for Environmental Protection, Shinsuna, Koto, Tokyo 136-0075, Japan]

96-099 Toxicity of agricultural chemicals to fish-XIX. Konishi, K., E. Matsuoka, and K. Nobusawa. 1996. Rep. Gunma Fish. Exp. Stat., 2: 1-2. In Japanese. [Gunma Fisheries Experiment Station, 13 Shikishima-cho, Maebashi, Gunma 371-0036, Japan]

Politics

96-100 The origin of fishery question between Japan and USA - a historical survey on the Bristol Bay incident over the salmon fishing. Onodera, I., and K. Hiroyoshi. 1996. Bull. Fac. Fish. Hokkaido Univ., 47: 13-29. In Japanese with English summary. [Tohoku Fukushi University, Kunimi 1-8-1, Aoba-ku, Sendai 989-8522, Japan]

- Onozato, H. 96-071.
Oohara, I. 96-035, 96-074.
Ootomo, Y. 96-023.
Perez, S. I. 96-087.
Porn-Ngam, N. 96-059.
Rodriguez, S. 96-087.
Saito, K. 96-070.
Sakaguchi, M. 96-050.
Sakaki, Y. 96-014, 96-015.
Sakamoto, M. 96-058.
Sakamoto, Tak. 96-075, 96-076.
Sakamoto, Tat. 96-044, 96-057.
Sakano, H. 96-024.
Sakuma, K. 96-077.
Sakurai, Y. 96-024.
Sato, A. 96-014, 96-015.
Satoh, S. 96-059, 96-062.
Sawano, K. 96-074.
Seki, J. 96-009, 96-012.
Shimazaki, K. 96-024.
Shimizu, I. 96-009, 96-012, 96-034, 96-096.
Shimma, H. 96-060.
Shiomoto, A. 96-007.
Siwicki, A. K. 96-088.
Smith, P. 96-082.
Soeda, H. 96-041.
Startsev, A. V. 96-008.
Sugiwaka, K. 96-003.
Sugiyama, Y. 96-041.
Sung, J. T. 96-089, 96-090.
- Suzuki, M. 96-065.
Suzuki, S. 96-085.
Tadokoro, K. 96-007.
Takagi, K. 96-010.
Takahashi, H. 96-055, 96-058.
Takahashi, K. 96-083.
Takahashi, Y. 96-013.
Takami, T. 96-025, 96-026.
Takashima, F. 96-077.
Takeuchi, T. 96-059, 96-062.
Takubo, T. 96-091, 96-097.
Tanaka, M. 96-080.
Taniguchi, Y. 96-001, 96-017.
Taro, T. 96-064.
Taveekijkarn, P. 96-092.
Tolstiak, T. I. 96-047.
Tomita, K. 96-091.
Toyama, T. 96-093.
Toyoshima, T. 96-002.
Tsukada, O. 96-005.
Uchida, K. 96-048.
Ueda, H. 96-024, 96-042, 96-046, 96-049.
Ueda, T. 96-064.
Uemura, M. 96-068.
Ueno, R. 96-052, 96-094.
Ueno, Y. 96-008, 96-011, 96-012, 96-034.
Ui, T. 96-054.
Une, M. 96-054.
Uno, K. 96-094.
- Unuma, T. 96-060.
Ura, K. 96-037.
Urabe, H. 96-017.
Urano, A. 96-039, 96-046.
Urawa, S. 96-095.
Ushio, H. 96-061, 96-084.
Vilas, M. P. 96-087.
Wada, A. 96-097.
Wada, S. 96-083.
Wakabayashi, H. 96-093.
Wakabayashi, M. 96-098.
Watanabe, K. 96-027.
Watanabe, T. 96-045, 96-059, 96-062.
Yagisawa, I. 96-097.
Yamamoto, S. 96-013.
Yamamoto, T. 96-060.
Yamanoi, H. 96-019.
Yamashita, M. 96-057, 96-063, 96-064, 96-065.
Yamauchi, K. 96-042, 96-049.
Yano, A. 96-014, 96-015.
Yasunobu, H. 96-079.
Yokoyama, M. 96-050.
Yoneyama, K. 96-028.
Yoshimizu, M. 96-078, 96-080, 96-089, 96-090.
Yoshizaki, G. 96-077.
Yoza, K. 96-041.