

## 平成12年度研究業績集 (2000年4月-2001年3月)

他の研究機関所属者との共著の場合は，当センター職員の名前にアンダーラインを付けた。

### [ 研究報告など印刷物 ]

- Abe, S., S. Sato, J. Ando, H. Ando, S. Urawa, and A. Urano. 2000. Genetic differentiation in Japanese chum salmon inferred from nucleotide sequence analysis of the mitochondria DNA control region. (NPAFC Doc. 487) Chromosome Research Unit, Faculty of Science, Hokkaido University, Sapporo 060-0810, Japan. 15 p.
- Ban, M. 2000. Influence of various growth rates on development of gill  $\text{Na}^+$ ,  $\text{K}^+$ -ATPase in juvenile chum salmon, *Oncorhynchus keta*. *Suisanzoshoku*, 48: 503-508.
- Ban, M. 2000. Effects of photoperiod and water temperature on smoltification of yearling sockeye salmon (*Oncorhynchus nerka*). *Bull. National Salmon Resources Center*, 3: 25-28.
- Fukuwaka, M., and T. Suzuki. 2000. Density-dependence of chum salmon in coastal waters of the Japan Sea. *N. Pac. Anadr. Fish Comm. Bull.*, 2: 75-81.
- 長谷川英一. 2001. 選択的漁獲技術開発のための漁獲過程に関する研究の課題と今後の展望 まき網. *日本水産学会誌*, 67: 136-137.
- Hasegawa E., K. Sawada, T. Akamatsu, K. Fujita, and M. Tamai. 2001. Fish behaviour control by the optical fiber optomotor reaction device. *Bull. Natl. Res. Inst. Fish. Eng.*, 22: 27-33.
- Kawana, M., S. Urawa, G. Anma, S. Takagi, Y. Kamei, T. Shoji, M. Fukuwaka, K. Munk, P. T. Hagen, and E. V. Farly, Jr. 2000. Recoveries of thermally marked maturing pink salmon in the Gulf of Alaska in the summers of 1998 and 1999. (NPAFC Doc. 489) National Salmon Resources Center, Sapporo 062-0922, Japan. 9 p.
- Kawana, M., S. Urawa, and T. Ishiguro. 2000. Releases of thermally marked salmon from Japan in 2000. (NPAFC Doc. 488) National Salmon Resources Center, Sapporo 062-0922, Japan. 8 p.
- Kawana, M., S. Urawa, and T. Ishiguro. 2001. Proposed thermal marks for brood year 2001 salmon in Japan. (NPAFC Doc. 519) National Salmon Resources Center, Sapporo 062-0922, Japan. 3 p.
- Kitahashi, T., H. Ando, A. Urano, M. Ban, S. Saito, H. Tanaka, Y. Naito, and H. Ueda. 2000. Micro data logger analyses of homing behavior of chum salmon in Ishikari Bay. *Zool. Sci.*, 17: 1247-1253.
- Mayama, H. 2000. An ecological view on the stocking methods of juvenile masu salmon (*Oncorhynchus masou masou*) into streams of Hokkaido. 櫻花鉤吻鮭保育研究研討会 (2000年4月10-13日, 台湾省南東集集) 論文集. pp. 178-191.
- Mortada, M. A. H., K. Hatai, and T. Nomura. 2001. Saprolegniosis in salmonids and their eggs in Japan. *J. Wildlife Diseases*, 37: 204-207.
- Noll, C., N. V. Varnavskaya, E. A. Matzak, S. L. Hawkins, V. V. Midanaya, O. N. Katugin, C. Russell, N. M. Kinan, C. M. Guthrie III, H. Mayama, F. Yamazaki, B. P. Finney, and A. J. Gharrett. 2001. Analysis of contemporary genetic structure of even-broodyear populations of Asian and western Alaskan pink salmon, *Oncorhynchus gorbuscha*. *Fish. Bull.*, 99: 123-138.
- 野村哲一. 2000. 脂質を指標としたサケ・マス類の栄養状況の推定. さけ・ます資源管理センターニュース, 6: 1-6.
- Nomura, T., S. Urawa, and Y. Ueno. 2000. Variations in muscle lipid content of high-seas chum and pink salmon in winter. *N. Pac. Anadr. Fish Comm. Bull.*, 2: 43-54.
- Ohkuma, K., Y. Ishida, O. A. Rassardnikov, and V. G. Markovtsev. 2000. Distribution and biological characters of pink (*Oncorhynchus gorbuscha*) and masu salmon (*O. masou*) in the Sea of Japan. *Bull. National Salmon Resources Center*, 3: 1-10.
- Ohkuma, K., S. Urawa, Y. Ueno, and N. D. Davis. 2000. Easternmost record for ocean distribution of masu salmon (*Oncorhynchus masou*). *Bull. National*

Salmon Resources Center, 3: 11-14.

斎藤寿彦 . 2000 . 幌内川におけるサケの自然繁殖 : 他のサケ科魚類との産卵床形成の空間的隔離 . さけ・ます資源管理センター研究報告, 3: 15-24 .

Salam, M. D., H. Ando, M. Ban, H. Ueda, and A. Urano. 2000. Immunocytochemical analysis of pituitary cells in pre-spawning chum salmon. *Zool. Sci.*, 17: 805-819.

Sato, S., J. Ando, H. Ando, S. Urawa, A. Urano, and S. Abe. 2001. Genetic variation among Japanese populations of chum salmon inferred from the nucleotide sequences of the mitochondrial DNA control region. *Zool. Sci.*, 18: 99-106.

Shimazu, T., S. Urawa, and C. O. Coria. 2000. Four species of digeneans, including *Allocreadium patagonicum* sp. n. (Allocreadiidae), from freshwater fishes of Patagonia, Argentina. *Folia Parasitologica*, 47: 111-117.

Taniguchi, Y., Y. Miyake, T. Saito, H. Urabe, and S. Nakano. 2000. Redd superimposition by introduced rainbow trout, *Oncorhynchus mykiss*, on native charrs in a Japanese stream. *Ichthyol. Res.*, 47: 149-156.

武田正倫・嶋津 武・浦和茂彦・荒木 潤・倉持利明・町田昌昭. 2000. 皇居の内壕産エビ類および魚類から得られた寄生性甲殻類. 国立科博専報, 35: 75-78.

浦和茂彦. 2000. 海洋におけるシロザケの遺伝的モニタリング. 水産海洋研究, 64: 249-250.

浦和茂彦. 2000. サケ科魚類の資源研究における寄生虫の利用. 海洋と生物, 130: 462-467.

浦和茂彦. 2000. 中部太平洋で漁獲されたサクラマス. さけ・ます資源管理センターニュース, 6: 7.

Urawa, S. 2000. Bibliography of salmonids published in Japan (14): 1999. *Bull. National Salmon Resources Center*, 3: 39-47.

Urawa, S., Y. Ishida, and M. Fukuwaka. 2000. Japanese salmon research in the ocean: a review and future issues. *Bull. National Salmon Resources Center*, 3: 29-38.

Urawa, S., M. Kawana, G. Anma, Y. Kamei, T. Shoji, M. Fukuwaka, K. Munk, K. W. Myers, and E. V. Farley, Jr. 2000. Geographical origin of high-seas chum salmon determined by genetic and thermal otolith markers. *N. Pac. Anadr. Fish Comm. Bull.*, 2: 283-290.

Urawa, S., K. Yamaya, N. Davis, H. Tanaka, and S. Tsuchiya. 2000. International salmon research aboard the R/V Wakatake maru in the central North Pacific Ocean and Bering Sea during the summer of 2000. (NPAFC Doc. 484) National Salmon Resources Center, Sapporo 062-0922, Japan. 21 p.

Walker, R. V., K. W. Myers, N. D. Davis, K. Y. Aydin, K. D. Friedland, H. R. Carlson, G. W. Boehlert, S. Urawa, Y. Ueno, and G. Anma. 2000. Diurnal variation in thermal environment experienced by salmonids in the North Pacific as indicated by data storage tags. *Fish. Oceanogr.*, 9: 171-186.

Winans, G. A., and S. Urawa. 2000. Allozyme variability of *Oncorhynchus nerka* in Japan. *Ichthyol. Res.*, 47: 343-352.

Yamaguchi, H., Y. Kajiwara, S. Takagi, R. V. Walker, and M. Kawana. 2000. The 2000 international cooperative salmon research cruise of the Oshoro maru. (NPAFC Doc. 485) Hokkaido University, Hakodate 041-8611, Japan. 19 p.

#### [ 学会などにおける発表 ]

伴 真俊 . 2000 . シロザケ親魚の母川回帰行動と浸透圧調節 . 平成12年度日本水産学会春季大会講演要旨集 . p . 88 .

Higa, M., S. Taniyama, T. Kitahashi, H. Ando, M. Ban, M. Kaeriyama, Y. Zohar, H. Ueda, and A. Urano. 2000. Expression of pit-1 and fushi tarazu factor 1 homolog genes in the pituitary of pre-spawning chum and sockeye salmon. *Proceedings of the 4th International Symposium on Fish Endocrinology*. p. 39.

飯田浩二・向井徹・李遺元・貞安一廣・藤野忠敬・浦野明央・伴 真俊 . 2000 . 魚群探知機を用いた石狩川河口における遡上サケの行動調査について . 平成12年度日本水産学会北海道支部大会講演要旨集 . p. 11 .

川名守彦・浦和茂彦・安間 元・高木省吾・亀井佳彦・庄司隆行・福若雅章・Kristen Munk. 2000. 耳石温度標識により推定されたアラスカ系カラフトマスの海洋分布. 平成12年度日本水産学会春季大会講演要旨集 . p. 58.

Kawana, M., S. Urawa, P. Hagen, and K. Munk. 2001. High-seas ocean distribution of Alaskan hatchery pink salmon estimated by otolith marks. Abstracts of NPAFC International Workshop on Salmonid Otolith Marking, Seattle, USA. p. 5.

Kitahashi, T., S. Taniyama, H. Ando, M. Ban, H. Ueda, and A. Urano. 2000. Changes in the levels of mRNAs encoding GTH subunits and GH/PRL/SL family in the pituitary of chum salmon during spawning migration. Proceedings of the 4th International Symposium on fish endocrinology. p. 86.

Lom, J.・F. Nilsen・浦和茂彦. 2001. サケ科魚類の武田微孢子虫症原因虫 *Microsporidium takedai* の再分類. 平成13年度日本魚病学会春季大会講演要旨集. p. 25.

Nomura, T., and M. Yoshimizu. 2000. Epidemiological study of furunculosis in salmonid fish in Japan. 9th International Society for Veterinary Epidemiology and Economics Symposium, Breckenridge, Colorado, USA.

Nomura, T., H. R. Carlson, K. W. Myers, C. M. Kondzela, and J. M. Murphy. 2000. Lipid composition in muscle and liver tissues of chum and pink salmon captured in the Gulf of Alaska during May, 1999. NPAFC Workshop on Factors Affecting Production of Juvenile Salmon, Tokyo, Japan.

Nomura, T., S. Urawa, K. W. Myers, C. M. Kondzela, and J. M. Murphy. 2001. Variation in Lipid Content in the Muscle of Chum Salmon in the Gulf of Alaska by Ocean Age. 20th Northeast Pacific Pink & Chum Salmon Workshop, Seattle, USA.

佐藤俊平・安藤潤子・安藤宏徳・浦野明央・浦和茂彦・阿部周一. 2000. 日本産シロザケのミトコンドリアDNA解析. 平成12年度日本水産学会春季大会講演要旨集 . p. 123.

Sato, S., J. Ando, S. Urawa, H. Ando, A. Urano, and S. Abe. 2000. Genetic differentiation among Pacific rim chum salmon populations inferred from the

nucleotide sequence variation of the mitochondrial DNA control region. Proceedings of the 70<sup>th</sup> Annual Meeting of the Zoological Society of Japan. Zool. Sci., 17 (supplement): 24.

Shimizu, I., J. Seki, S. Saito, O. Hiroi, and M. Aota. 2000. Does sea ice bring high primary production in early spring? Abstracts of the 9th Annual Meeting of PICES, Hakodate. p. 132.

Shimizu, I., and M. Aota. 2000. The integrated value of primary production in the retreated period of sea ice. Abstracts of the 23rd Symposium on Polar Biology. National Institute of Polar Research. Tokyo. p. 34.

Shimizu, I., M. Aota, and S. Saitoh. 2001. The scale of a primary production caused by the change in the period of retreated and the area of sea ice. Abstracts of the 16th Symposium on Okhotsk Sea and Sea Ice, Mombetsu. p. 174-180.

鈴木俊哉・斎藤寿彦・木村 大・水谷 寿・高村典子・帰山雅秀. 2000. 十和田湖におけるヒメマスとワカサギの成長. 平成12年度日本水産学会春季大会講演要旨集 . p. 60.

浦和茂彦・川名守彦・安間 元・高木省吾・亀井佳彦・庄司隆行・福若雅章・Kristen Munk. 2000. アラスカ湾に分布するサケの地理的起源: 耳石温度標識と遺伝的系群識別による推定. 平成12年度日本水産学会春季大会講演要旨集 . p. 58.

Urawa, S., P. A. Crane, Y. Ueno, and Y. Ishida. 2001. Seasonal migration of Japanese chum salmon during ocean life. 20th Northeast Pacific Pink & Chum Salmon Workshop, Seattle, USA.

Urawa, S., P. Hagen, D. Meerburg, A. Rogatnykh, and E. Volk. 2001. Compiling and coordinating salmon otolith marks in the North Pacific. Abstracts of NPAFC International Workshop on Salmonid Otolith Marking, Seattle, USA. p. 3.

Urawa, S., Y. Ueno, Y. Ishida, L. W. Seeb, P. A. Crane, S. Abe, and N. D. Davis. 2000. A migration model of Japanese chum salmon during early ocean life. NPAFC Workshop on Factors Affecting Production of Juvenile Salmon, Tokyo, Japan.