

INFORMATION

Bibliography of Salmonids Published in Japan (8) 1993

Shigehiko Urawa*¹ and Teruo Azuma*²

*¹ Research Division, Hokkaido Salmon Hatchery, Fisheries Agency of Japan,
2-2 Nakanoshima, Toyohira-ku, Sapporo 062, Japan

*² National Research Institute of Far Seas Fisheries, Fisheries Agency of Japan,
5-7-1 Orido, Shimizu, Shizuoka 424, Japan

This current salmonid bibliography, distributed yearly since 1988, covers scientific publications in Japan. The former seven issues were published in Technical Reports of Hokkaido Salmon Hatchery (Fish and Eggs), No.157-163. Titles are given in English for all articles. A reprint of article may be available from the author. An author's address is shown in square brackets following the citation. This 8th issue has covered literature published in 1993. The bibliography is divided into the following sections:

GENERAL	61
AQUACULTURE AND PROPAGATION	61
ECOLOGY-GENERAL	62
DISTRIBUTION AND MIGRATIONS	63
BREEDING AND REPRODUCTION	63
FEEDING, DIETS, AND GROWTH	64
POPULATION AND MANAGEMENT	64
MORPHOLOGY AND TAXONOMY	64
PHYSIOLOGY AND ENDOCRINOLOGY	64
BIOCHEMISTRY	66
GENETICS	67
DISEASES AND PARASITES	68
WATER QUALITY AND ENVIRONMENT	70
SUPPLEMENTS	70
AUTHOR INDEX	71

GENERAL

93-001 Salmonid research and international cooperation in the North Pacific. Ishida, Y. 1993. *Bull. Japan. Soc. Fish. Oceanogr.*, 57: 378-383. In Japanese. [National Research Institute of Far Seas Fisheries, Orido, Shimizu, Shizuoka 424, Japan]

AQUACULTURE AND PROPAGATION

93-002 Honeycomb board used in the ponds prepared for rearing chum salmon alevin and fry.

Contribution A No. 353 from the Hokkaido Salmon Hatchery.

Araya, K. 1993. *Uo to Mizu*, No. 30: 17-19. In Japanese. [Hokkaido Fish Hatchery, Kitakashiwagi 3-373, Eniwa, Hokkaido 061-14, Japan]

93-003 Survival rate of rainbow trout caught and released. Hisashita, T., and M. Arai. 1993. *Gunma J. Agric. Res. Ser. E*, No. 9: 60-61. In Japanese. [Gunma Fisheries Experiment Station, Shikishima, Maebashi, Gunma 371, Japan]

93-004 New devices and facilities for artificial salmon propagation. Kobayashi, M. 1993. *Uo to Mizu*, No. 30: 10-16. In Japanese. [Hokkaido Fish Hatchery, Shirakawa 37-2, Mori, Hokkaido 041-14,

Japan]

93-005 Dolly Varden char transferred and naturalized to a mountain torrent in southern Hokkaido. Kubo, T. 1993. *Uo to Mizu*, No. 30: 27-29. In Japanese. [Honmachi 511, Nanae, Hokkaido 041-11, Japan]

93-006 Studies on characteristics for fishing and seeding production for aquaculture of brown trout *Salmo trutta*. Kuge, T., M. Mogi, S. Kurosawa, M. Arai, and H. Ohtuka. 1993. *Gunma J. Agric. Res.*, No. 9: 10-15. In Japanese with English summary. [Gunma Fisheries Experiment Station, Shikishima 13, Maebashi, Gunma 371, Japan]

93-007 Returns of domestic hatchery-reared under-yearling masu salmon smolts released into the coast of southern Hokkaido. Miyakoshi, Y., and M. Nakajima. 1993. *Uo to Mizu*, No. 30: 5-9. In Japanese. [Hokkaido Fish Hatchery, Shirakawa 37-2, Mori, Hokkaido 041-14, Japan]

93-008 Recent enhancement of masu salmon (*Oncorhynchus masou*) in Japan. Nogawa, H. 1993. *Tech. Rep. Hokkaido Salmon Hatchery*, No. 162: 29-37. In Japanese with English summary. [Hokkaido Salmon Hatchery, 2-2 Nakanoshima, Toyohira-ku, Sapporo 062, Japan]

93-009 Improvement of survival of char fry by low temperature rearing. Sato, Y., Y. Yamaguchi, and M. Kayane. 1993. *Bull. Ibaraki Pref. Freshwater Fish. Exp. Stat.*, No. 29: 90-95. In Japanese. [Ibaraki Prefectural Freshwater Fisheries Experimental Station, Kabuto 1560, Tamatsukuri, Ibaraki 311-35, Japan]

93-010 Masu salmon ranching by hatchery-reared strains. Sugiwaka, K. 1993. *Tech. Rep. Hokkaido Salmon Hatchery*, No. 162: 39-49. In Japanese with English summary. [Hokkaido Fish Hatchery, Kitakashiwagi 3-373, Eniwa, Hokkaido 061-14, Japan]

ECOLOGY-GENERAL

93-011 Spatial variation in composition and richness of fish communities in a southwestern Australian river system. Hutchison, M. J. 1993. *Ecological Research*, 8: 297-311. [Department of Geography, University of Western Australia,

Nedlands, Western Australia 6009, Australia]

93-012 Acid tolerance of prey organisms for salmonid fish. Ikuta, K., M. Nagano, T. Shikama, H. Nakamura, S. Kitamura, and N. Okumoto. 1993. *Bull. Natl. Res. Inst. Aquaculture*, No. 22: 43-48. In Japanese with English summary. [National Research Institute of Aquaculture, Chugushi, Nikko, Tochigi 321-16, Japan]

93-013 Life history of sockeye salmon released from hatchery. Kaeriyama, M. 1993. *Tech. Rep. Hokkaido Salmon Hatchery*, No. 162: 57-61. In Japanese with English summary. [Hokkaido Salmon Hatchery, 2-2 Nakanoshima, Toyohira-ku, Sapporo 062, Japan]

93-014 Feeding and reproductive ecology of exotic rainbow trout *Oncorhynchus mykiss* in the Horonai stream in Hokkaido, northern Japan. Kitano, S., S. Nakano, M. Inoue, K. Shimoda, and S. Yamamoto. 1993. *Nippon Suisan Gakkaishi*, 59: 1837-1843. In Japanese with English summary. [Faculty of Fisheries, Hokkaido University, Minato 3-1-1, Hakodate, Hokkaido 041, Japan]

93-015 Type-assortative mating of Miyabe charr. Maekawa, K., S. Kitano, and S. Takeyama. 1993. *Japan. J. Ichthyol.*, 39: 401-403. [National Research Institute of Fisheries Science, Komaki 1088, Ueda, Nagano 386, Japan]

93-016 An ecological view on the enhancement of masu salmon through the release of smolts: masu salmon management and the stream habitats. Mayama, H. 1993. *Tech. Rep. Hokkaido Salmon Hatchery*, No. 162: 9-18. In Japanese with English summary. [Hokkaido Salmon Hatchery, 2-2 Nakanoshima, Toyohira-ku, Sapporo 062, Japan]

93-017 Studies on the chum salmon, *Oncorhynchus keta*, released in the Sinano River on the seaward migration of liberated fry in 1993. Ota, J., and H. Okubo. 1993. *Rep. Niigata Pref. Inland Water Fish. Exp. Stat.*, No. 19: 17-25. In Japanese. [Niigata Prefectural Inland Water Fisheries Experiment Station, Ogawara 2650, Nagaoka, Niigata 940-11, Japan]

93-018 Relationship between population density of land-locked masu salmon, *Oncorhynchus masou*

masou and form of the river-bed in mountain streams of the Kuma River in Kyushu. Sakata, K. 1993. *Suisanzoshoku*, 41: 27-33. In Japanese with English summary. [West Japan Engineering Consultants, Incorporated, 2-1-82 Watanabe-dori, Chuo, Fukuoka 810, Japan]

DISTRIBUTION AND MIGRATIONS

93-019 Pink salmon, *Oncorhynchus gorbuscha*, in the southern open water of the Japan Sea in February 1991. Hiyama, Y., and V. G. Markovtsev. 1993. *Bull. Japan Sea Natl. Fish. Res. Inst.*, No. 43: 125-128. [Japan Sea National Fisheries Research Institute, Suido-cho, Niigata 951, Japan]

93-020 Negative phototaxis used to discourage juvenile masu salmon, *Oncorhynchus masou*, from being entrained by water dispersions of agriculture. Hyodo, N., M. Hoshino, and H. Okubo. 1993. *Rep. Niigata Pref. Inland Water Fish. Exp. Stat.*, No. 19: 1-7. In Japanese. [Niigata Prefectural Inland Water Fisheries Experiment Station, Ogawara 2650, Nagaoka, Niigata 940-11, Japan]

93-021 Initiation mechanisms of downstream migration and the diverse life-style of salmonids: recent advances in research. Iwata, M. 1993. *Tech. Rep. Hokkaido Salmon Hatchery*, No. 162: 3-8. In Japanese with English summary. [National Research Institute of Aquaculture, Chugushi, Nikko, Tochigi 321-16, Japan]

93-022 The salmonid fish, *Salvelinus leucomaenis* (Pallas), from Kyushu district, southern Japan. Iwatsuki, Y., and M. Endo. 1993. *Bull. Fac. Agric. Miyazaki Univ.*, 40: 55-58. [Laboratory of Marine Production, Faculty of Agriculture, Miyazaki University, Gakuen-Kibanadai-Nishi, Miyazaki 889-21, Japan]

93-023 Vertical distribution of Salmonidae mainly consisting of hime salmon *Oncorhynchus nerka* in Chuzenji Lake. Okamoto, M., N. Okumoto, M. Iwata, K. Ikuta, and K. Fukusho. 1993. *Nippon Suisan Gakkaishi*, 59: 1813-1821. In Japanese with English summary. [Japan Marine Science and Technology Center, Natsushima, Yokosuka, Kanagawa 237, Japan]

93-024 Downstream migratory behavior in wild pink salmon in Nikanbetsu River. Sasaki, Y., K. Yamashita, and K. Nakajima. 1993. *Sci. Rep. Hokkaido Fish Hatchery*, No. 47: 15-20. In Japanese with English summary. [Hokkaido Fish Hatchery, Kitakashiwagi 3-373, Eniwa, Hokkaido 061-14, Japan]

93-025 The size and the period of seaward migration of masu salmon smolts released into the Shou River, Toyama. Tago, Y. 1993. *Bull. Toyama Pref. Fish. Exp. Stat.*, No. 4: 41-52. In Japanese with English summary. [Toyama Prefectural Fisheries Experiment Station, Takatsuka 2373, Namerikawa, Toyama 936, Japan]

93-026 Studies on the ecology and resource of maturing chum salmon off the Pacific coast of northern Honshu. Ueno, Y. 1993. *Bull. Nat. Res. Inst. Far Seas Fish.*, No. 30: 79-206. In Japanese with English summary. [National Research Institute of Far Seas Fisheries, Orido, Shimizu, Shizuoka 424, Japan]

BREEDING AND REPRODUCTION

93-027 Cryopreservation of spermatozoa from rainbow trout, common carp, and marine puffer. Gwo, J.-C., H. Kurokura, and R. Hirano. 1993. *Nippon Suisan Gakkaishi*, 59: 777-782. [Department of Aquaculture, National Taiwan Ocean University, Keelung, 20224, Taiwan]

93-028 Reproductive characteristics of precociously mature triploid male masu salmon, *Oncorhynchus masou*. Nakamura, M., F. Tsuchiya, M. Iwahashi, and Y. Nagahama. 1993. *Zoological Science*, 10: 117-125. [Department of Biology, Faculty of Medicine, Teikyo University, Hachioji, Tokyo 192-03, Japan]

93-029 Effects of water temperature on the final gonad maturation of Japanese huchen. Teranishi, T. 1993. *Uo to Mizu*, No. 30: 51-54. In Japanese. [Hokkaido Fish Hatchery, Kitakashiwagi 3-373, Eniwa, Hokkaido 061-14, Japan]

93-030 Reproduction characteristics of twice-annually spawning strain of rainbow trout, *Oncorhynchus mykiss*. Tazaki, S., H. Nomura, and K. Suzuki. 1993. *Bull. Saitama Pref. Fish. Exp. Stat.*, No. 51: 63-71. In Japanese. [Saitama Prefectural Fish

Experiment Station, Kitakohama 1060, Kasu, Saitama 347, Japan]

FEEDING, DIETS, AND GROWTH

93-031 Distribution and food habit of juvenile masu salmon, *Oncorhynchus masou*, in the Kaji River during winter. Hyodo, N., K. Tsukamoto, M. Oya, and H. Okubo. 1993. *Rep. Niigata Pref. Inland Water Fish. Exp. Stat.*, No. 19: 27-38. In Japanese. [Niigata Prefectural Inland Water Fisheries Experiment Station, Ogawara 2650, Nagaoka, Niigata 940-11, Japan]

93-032 Development and growth of the genus *Oncorhynchus*. 5. The law of effective accumulative temperature. Kaeriyama, M. 1993. *Tech. Rep. Hokkaido Salmon Hatchery*, No. 162: 77-80. In Japanese with English summary. [Hokkaido Salmon Hatchery, 2-2 Nakanoshima, Toyohira-ku, Sapporo 062, Japan]

93-033 Individual variation in foraging activities. Katano, O. 1993. *Biological Science*, 45: 58-66. In Japanese. [National Institute of Fisheries Science, Komaki, Ueda, Nagano 386, Japan]

93-034 Effects of water oxygen concentrations on growth of chum salmon fry. Matsushima, Y. 1993. *Tech. Rep. Hokkaido Salmon Hatchery*, No. 162: 69-75. In Japanese. [Tokachi Branch, Hokkaido Salmon Hatchery, Taisho, Obihiro, Hokkaido 089-12, Japan]

93-035 A review of gastric evacuation rate of salmonids. Suzuki, T. 1993. *Sci. Rep. Hokkaido Salmon Hatchery*, No. 47: 101-107. In Japanese with English summary. [Hokkaido Salmon Hatchery, 2-2 Nakanoshima, Toyohira-ku, Sapporo 062, Japan]

93-036 Growth and gonadosomatic index of 1 year old Japanese char, *Salvelinus pluvius* originated from Ara River. Tazaki, S., K. Suzuki, and H. Nomura. 1993. *Bull. Saitama Pref. Fish Exp. Stat.*, No. 51: 81-87. In Japanese. [Saitama Prefectural Fish Experiment Station, Kitakohama 1060, Kasu, Saitama 347, Japan]

93-037 Study on prey environment for chum salmon fry in the Ohkita River-I. Relation between drifting organisms and feeding habits of

chum salmon fry. Yamaguchi, Y., S. Hoshino, and Y. Sato. 1993. *Bull. Ibaraki Pref. Freshwater Fish. Exp. Stat.*, No. 29: 81-89. In Japanese. [Ibaraki Prefectural Freshwater Fisheries Experimental Station, Kabuto 1560, Tamatsukuri, Ibaraki 311-35, Japan]

POPULATION AND MANAGEMENT

93-038 Effect of hook size on line fishing mechanism. Shimizu, S., T. Miura, Y. Sasakawa, and K. Nashimoto. 1993. *Bull. Fac. Fish. Hokkaido Univ.*, 44: 187-196. In Japanese with English summary. [Faculty of Fisheries, Hokkaido University, Minato 3-1-1, Hakodate, Hokkaido 041, Japan]

MORPHOLOGY AND TAXONOMY

93-039 New record of albino Japanese huchen, *Hucho perryi*. Kimura, S., and A. Hara. 1993. *Bull. Fac. Fish. Hokkaido Univ.*, 44: 76-79. [Nanae Fish Culture Experimental Station, Faculty of Fisheries, Hokkaido University, Sakura 498, Nanae, Hokkaido 041-11, Japan]

93-040 Distribution of taste buds in the oropharyngeal cavity of fry and fingerling amago salmon, *Oncorhynchus rhodurus*. Komada, N. 1993. *Japan. J. Ichthyol.*, 40: 110-116. [Department of Anatomy and Physiology, Nagoya Women's University, Shioji 3-40, Mizuho-ku, Nagoya, Aichi 467, Japan]

PHYSIOLOGY AND ENDOCRINOLOGY

93-041 Effects of body size on seawater tolerance of hatchery-reared sockeye salmon (*Oncorhynchus nerka*) during the underyearling period. Ban, M., and S. Kogarumai. 1993. *Tech. Rep. Hokkaido Salmon Hatchery*, No. 162: 51-55. In Japanese with English summary. [Hokkaido Salmon Hatchery, 2-2 Nakanoshima, Toyohira-ku, Sapporo 062, Japan]

93-042 Aspects of salmonid endocrinology: the known and the unknown. Bern, H. A., and R. S. Nishioka. 1993. *Bull. Fac. Fish. Hokkaido Univ.*, 44: 55-67. [Department of Integrative Biology, Bodega Marine Laboratory and Cancer Research Laboratory, University of California, Berkeley, CA 94720, USA]

93-043 Use of primary cultures of salmon hepatocytes for the study of hormonal regulation of

- insulin-like growth factor I expression *in vitro*.** Duan, C., N. Hanzawa, Y. Takeuchi, E. Hamada, S. Miyachi, and T. Hirano. 1993. *Zoological Science*, 10: 473-480. [Kamaishi Laboratories, Marine Biotechnology Institute, Heita, Kamaishi, Iwate 026, Japan]
- 93-044 Relationship between seawater adaptability and body weight in 0+ landlocked rainbow trout.** Gorie, S. 1993. *Nippon Suisan Gakkaishi*, 59: 487-491. [Hyogo Prefectural Fisheries Experimental Station, Minami-futami, Akashi, Hyogo 674, Japan]
- 93-045 Isolation and some characterization of vitellogenin and its related egg yolk proteins from coho salmon (*Oncorhynchus kisutch*).** Hara, A., C. V. Sullivan, and W. W. Dickhoff. 1993. *Zoological Science*, 10: 245-256. [Nanae Fish Culture Experimental Station, Faculty of Fisheries, Hokkaido University, Sakura 498, Nanae, Hokkaido 041-11, Japan]
- 93-046 Immunochemical method as early diagnosis for distinguishing salmonid fish female and male prior to genital maturation by use of a minute amount of blood collected from a single piece of gill filament.** Kanamori, A., K. Kitajima, Y. Inoue, S. Inoue, K. Hoshino, E. Matsuoka, A. Sato, and K. Satsumi. 1993. *Nippon Suisan Gakkaishi*, 59: 593-600. In Japanese with English summary. [Department of Biophysics and Biochemistry, Faculty of Science, The University of Tokyo, Hongo, Bunkyo, Tokyo 113, Japan]
- 93-047 Changes in sea water adaptability and lipid class content during early development of pink salmon *Oncorhynchus gorbuscha* (Walbaum).** Kasahara, N., Y. Sasaki, B. Lee, and H. Nakano. 1993. *Sci. Rep. Hokkaido Fish Hatchery*, No. 47: 21-26. In Japanese with English summary. [Hokkaido Fish Hatchery, Kitakashiwagi 3-373, Eniwa, Hokkaido 061-14, Japan]
- 93-048 Testicular development and changes in the levels of reproductive hormones in triploid male rainbow trout.** Kobayashi, T., N. Sakai, S. Fushiki, Y. Nagahama, M. Amano, and K. Aida. 1993. *Nippon Suisan Gakkaishi*, 59: 981-989. In Japanese with English summary. [Shiga Prefectural Samegai Trout Farm, Kaminyu Maibara, Shiga 521, Japan]
- 93-049 Auditory capability of the lateral line canal in the masu salmon.** Kojima, T., K. Ikuta, A. Ito, K. Yoza, and H. Soeda. 1993. *Nippon Suisan Gakkaishi*, 59: 371. [College of Agriculture and Veterinary Medicine, Nihon University, Shimouma, Setagaya, Tokyo 154, Japan]
- 93-050 Control strategies of thyroid hormone monoiodination in vertebrates.** Kühn, E. R., K. A. Mol, and V. M. Darras. 1993. *Zoological Science*, 10: 873-885. [Laboratory of Comparative Endocrinology, Catholic University of Leuven, Naamsestraat 61, B-3000 Leuven, Belgium]
- 93-051 Immunohistochemical localization of coelomic fluid-specific protein in the coelomic epithelium and mesovarium of chum salmon *Oncorhynchus keta*.** Matsubara, T., A. Hara, and K. Takano. 1993. *Nippon Suisan Gakkaishi*, 59: 1717-1720. [Hokkaido National Fisheries Research Institute, 116 Katsurakoi, Kushiro, Hokkaido 085, Japan]
- 93-052 Changes in serum vitellogenin and estradiol-17 β concentrations associated with ovarian development in masu salmon *Oncorhynchus masou*.** Matsubara, T., N. Kasahara, K. Yamauchi, and A. Hara. 1993. *Bull. Hokkaido Natl. Fish. Res. Inst.*, No. 57: 33-42. In Japanese with English summary. [Hokkaido National Fisheries Research Institute, 116 Katsurakoi, Kushiro, Hokkaido 085, Japan]
- 93-053 Size distribution of neutrophils and lymphocytes in triploid masu salmon, *Oncorhynchus masou*, and changes in their number in circulating blood after administration of liquid paraffin.** Ohtsu, J. 1993. *Bull. Toyama Pref. Fish. Exp. Stat.*, No. 4: 1-9. In Japanese with English summary. [Toyama Prefectural Fisheries Experiment Station, Takatsuka 2373, Namerikawa, Toyama 936, Japan]
- 93-054 Comparative aspects of intestinal calcium transport in fish and amphibians.** Robertson, D. R. 1993. *Zoological Science*, 10: 223-234. [Department of Anatomy and Cell Biology, State University of New York Health Science Center Syracuse, New York 13210, USA]
- 93-055 Identification and Immunological properties of an olfactory system-specific protein in kokanee salmon (*Oncorhynchus nerka*).** Shimizu, M., H.

Kudo, H. Ueda, A. Hara, K. Shimazaki, and K. Yamauchi. 1993. *Zoological Science*, 10: 287-294. [Toya Lake Station for Environmental Biology, Faculty of Fisheries, Hokkaido University, Tsukiura 122, Abuta, Hokkaido 049-57, Japan]

93-056 Effect of experience of adult fish in high water temperature on resistance of juvenile rainbow trout, *Oncorhynchus mykiss*. Tazaki, S., K. Suzuki, and H. Nomura. 1993. *Bull. Saitama Pref. Fish. Exp. Stat.*, No. 51: 72-80. In Japanese. [Saitama Prefectural Fisheries Experiment Station, Kitakohama 1060-1, Kasu, Saitama 347, Japan]

93-057 Characterization of a salmonid olfactory-system specific protein. Ueda, H. 1993. *Uo to Mizu*, No. 30: 30-32. In Japanese. [Toya Lake Station for Environmental Biology, Faculty of Fisheries, Hokkaido University, Tukiura 122, Abuta, Hokkaido 049-57, Japan]

93-058 Immunological similarity between an olfactory system-specific protein and a testicular germ cell protein in kokanee salmon (*Oncorhynchus nerka*). Ueda, H., H. Kudo, M. Shimizu, K. Mochida, S. Adachi, and K. Yamauchi. 1993. *Zoological Science*, 10: 685-690. [Toya Lake Station for Environmental Biology, Faculty of Fisheries, Hokkaido University, Tsukiura 122, Abuta, Hokkaido 049-57, Japan]

93-059 Endocrinological aspects of smoltification and homing mechanisms in salmonids: possible involvement of olfactory functions. Ueda, H., and K. Yamauchi. 1993. *Tech. Rep. Hokkaido Salmon Hatchery*, No. 162: 63-68. In Japanese with English summary. [Toya Lake Station for Environmental Biology, Faculty of Fisheries, Hokkaido University, Tsukiura 122, Abuta, Hokkaido 049-57, Japan]

93-060 Changes in concentrations of serum thyroxine, skin and serum guanine, and total serum protein in the masu salmon during smoltification. Ura, K., A. Hara, and K. Yamauchi. 1993. *Nippon Suisan Gakkaishi*, 59: 1225-1229. In Japanese with English summary. [Faculty of Fisheries, Hokkaido University, Minato 3-1-1, Hakodate, Hokkaido 041, Japan]

93-061 Purification and quantification of albumin-like protein ($\alpha 1$ -protein) from masu salmon, *Oncorhynchus masou*. Ura, K., A. Hara, and K.

Yamauchi. 1993. *Bull. Fac. Fish. Hokkaido Univ.*, 44: 95-104. [Faculty of Fisheries, Hokkaido University, Minato 3-1-1, Hakodate, Hokkaido 041, Japan]

93-062 Involvement of four hormones in thyroxine deiodination in several tissues of immature yearling masu salmon, *Oncorhynchus masou*. Yamada, H., R. Horiuchi, K. Gen, and K. Yamauchi. 1993. *Zoological Science*, 10: 587-596. [Faculty of Fisheries, Hokkaido University, Minato 3-1-1, Hakodate, Hokkaido 041, Japan]

BIOCHEMISTRY

93-063 Comparison of reactivity of transglutaminase to various fish actomyosins. Araki, H., and N. Seki. 1993. *Nippon Suisan Gakkaishi*, 59: 711-716. [Faculty of Fisheries, Hokkaido University, Minato 3-1-1, Hakodate, Hokkaido 041, Japan]

93-064 Effect of heat-treatment on the solubility and viscosity of salt-extracted protein from mature chum salmon *Oncorhynchus keta*. Kawai, Y., T. Nakasato, and M. Hatano. 1993. *Bull. Fac. Fish. Hokkaido Univ.*, 44: 247-253. [Faculty of Fisheries, Hokkaido University, Minato 3-1-1, Hakodate, Hokkaido 041, Japan]

93-065 Assessment of fish muscle lipid oxidation in combination with rapid lipid extraction. Hatano, M., D. Deguchi, and K. Takahashi. 1993. *Nippon Suisan Gakkaishi*, 59: 677-681. In Japanese with English summary. [Faculty of Fisheries, Hokkaido University, Minato 3-1-1, Hakodate, Hokkaido 041, Japan]

93-066 Chemical composition of salmon and trout imported as the stuff for processing in Choshi District. Kobayashi, S., H. Aminaka, M. Yamaguchi, and A. Takiguchi. 1993. *Bull. Chiba Pref. Fish. Exp. Stat.*, No. 51: 85-88. In Japanese. [Chiba Prefectural Fisheries Experimental Station, Chikura, Chiba 295, Japan]

93-067 Changes in α -connectin content during storage of iced, frozen, and thawed fish muscles. Kumano, Y., and N. Seki. 1993. *Nippon Suisan Gakkaishi*, 59: 559-564. [Faculty of Fisheries, Hokkaido University, Minato 3-1-1, Hakodate, Hokkaido 041, Japan]

- 93-068 Intestinal absorption and the activity of enzymatic hydrolysis of ascorbyl-2-phosphate in rainbow trout.** Miyasaki, T., M. Sato, R. Yoshinaka, and M. Sakaguchi. 1993. *Nippon Suisan Gakkaishi*, 59: 2059-2064. [Department of Food Science and Technology, Shimonoseki University of Fisheries, Yoshimi, Shimonoseki, Yamaguchi 759-65, Japan]
- 93-069 Relationship between the heat-gelling property and composition of fish sarcoplasmic proteins.** Morioka, K., and Y. Shimizu. 1993. *Nippon Suisan Gakkaishi*, 59: 1631. [Faculty of Agriculture, Kochi University, Otsu 200, Monobe, Nankoku, Kochi 783, Japan]
- 93-070 Dimethylthetin- and betaine-homocysteine methyltransferase activities from livers of fish, chicken, and mammals.** Nakajima, K. 1993. *Nippon Suisan Gakkaishi*, 59: 1389-1393. [Department of Nutrition, Koshien University, Momijigaoka, Takarazuka, Hyogo 665, Japan]
- 93-071 Comparison of muscle lipids between wild and cultured kokanee salmon.** Ozawa, A., M. Satake, and T. Fujita. 1993. *Nippon Suisan Gakkaishi*, 59: 1545-1549. In Japanese with English summary. [Central Research Laboratory, Nippon Suisan Kaisha Ltd., Kitano, Hachioji, Tokyo 192, Japan]
- 93-072 Nutritional evaluation of soybean meal for rainbow trout and carp.** Pongmaneerat, J., and T. Watanabe. 1993. *Nippon Suisan Gakkaishi*, 59: 157-163. [National Institute of Coastal Aquaculture, Kaoseng, Muang, Songkhla 90000, Thailand]
- 93-073 Effect of extrusion processing on the utilization of soybean meal diets for rainbow trout.** Pongmaneerat, J. and T. Watanabe. 1993. *Nippon Suisan Gakkaishi*, 59: 1407-1414. [Department of Aquatic Biosciences, Tokyo University of Fisheries, Konan 4-5-7, Minato, Tokyo 108, Japan]
- 93-074 Effect of the ratio of phosphorus to calcium on zinc availability to rainbow trout in high phosphorus diet.** Porn-Ngam, N., S. Satoh, T. Takeuchi, and T. Watanabe. 1993. *Nippon Suisan Gakkaishi*, 59: 2065-2070. [Laboratory of Fish Nutrition, Tokyo University of Fisheries, Konan 4-5-7, Minato, Tokyo 108, Japan]
- 93-075 Characteristics and fatty acid composition of yeast isolated from the intestines of rainbow trout *Oncorhynchus mykiss*.** Sakata, T., T. Ohshiro, and S. Teshima. 1993. *Mem. Fac. Fish. Kagoshima Univ.*, 42: 51-59. [Faculty of Fisheries, Kagoshima University, Shimoarata 4-50-20, Kagoshima 890, Japan]
- 93-076 Hydrocarbon composition of salmon in the Gulf of Alaska.** Sasaki, S., T. Ota, and T. Takagi. 1993. *Nippon Suisan Gakkaishi*, 59: 801-806. [Hokkaido Food Processing Research Center, Ebetsu, Hokkaido 069, Japan]
- 93-077 Efficacy of dehydro-L-ascorbic acid as a dietary vitamin C source in rainbow trout.** Sato, M., T. Mitani, T. Miyasaki, R. Yoshinaka, and M. Sakaguchi. 1993. *Nippon Suisan Gakkaishi*, 59: 171-176. [Department of Fisheries, Faculty of Agriculture, Kyoto University, Oiwake, Kitashirakawa, Sakyo, Kyoto 606-01, Japan]
- 93-078 Effect of various types of phosphates on zinc availability of rainbow trout.** Satoh, S., N. P-Ngam, T. Takeuchi, and T. Watanabe. 1993. *Nippon Suisan Gakkaishi*, 59: 1395-1400. [Laboratory of Fish Nutrition, Tokyo University of Fisheries, Konan 4-5-7, Minato, Tokyo 108, Japan]
- 93-079 Potential of soybean meal as a protein source in extruded pellets for rainbow trout.** Watanabe, T. and J. Pongmaneerat. 1993. *Nippon Suisan Gakkaishi*, 59: 1415-1423. [Department of Aquatic Biosciences, Tokyo University of Fisheries, Konan 4-5-7, Minato, Tokyo 108, Japan]
- 93-080 Replacement of fish meal by alternative protein sources in rainbow trout diets.** Watanabe, T., J. Pongmaneerat, S. Sato, and T. Takeuchi. 1993. *Nippon Suisan Gakkaishi*, 59: 1573-1579. [Department of Aquatic Biosciences, Tokyo University of Fisheries, Konan 4-5-7, Minato, Tokyo 108, Japan]

GENETICS

- 93-081 RAPD analysis: an efficient method of DNA fingerprinting in fishes.** Dinesh, K. R., T. M. Lim, K. L. Chua, W. K. Chan, and V. P. E. Phang. 1993. *Zoological Science*, 10: 849-854. [Department of Zoology, National University of Singapore, Kent

Ridge, Singapore 0511, Republic of Singapore]

93-082 The optimum starting time of the hydrostatic pressure shock treatment for induction of mitotic type of gynogenetic diploids in Houraimasu (non-spotted rainbow trout). Hattori, K. 1993. *Bull. Aichi Fish. Res. Inst.*, No. 1: 73-78. In Japanese with English summary. [Hourai Fish-Culture Experimental Station, Aichi Fisheries Research Institute, Hourai, Minamishitara, Aichi 441-19, Japan]

93-083 Comparison of heritabilities estimated by two techniques of variance analysis for fry mortality rate of masu salmon in Hokkaido. Kanno, Y., and H. Kawamura. 1993. *Nippon Suisan Gakkaishi*, 59: 1111-1116. [Faculty of Fisheries, Hokkaido University, Minato 3-1-1, Hakodate, Hokkaido 041, Japan]

93-084 Estimations of heritability and inbreeding coefficient for early mortality rate in two strains of masu salmon in Hokkaido. Kanno, Y., and H. Kawamura. 1993. *Nippon Suisan Gakkaishi*, 59: 1117-1120. [Faculty of Fisheries, Hokkaido University, Minato 3-1-1, Hakodate, Hokkaido 041, Japan]

93-085 Genetic basis of strain differences among the cultured populations of masu salmon. Kijima, A., and Y. Fujio. 1993. *Tech. Rep. Hokkaido Salmon Hatchery*, No. 162: 19-28. In Japanese. [Faculty of Agriculture, Tohoku University, Amemiya 1-1, Aoba, Sendai 981, Japan]

93-086 Studies on genetic improvement useful fishes by chromosome manipulation-V. Characteristics of meiotic-and mitotic-gynogenetic diploid rainbow trout (*Oncorhynchus mykiss*) in early breeding. Kuwada, T. 1993. *Rep. Gifu Pref. Fish. Exp. Stat.*, No. 38: 1-7. In Japanese. [Gifu Prefectural Fisheries Experimental Station, Hane, Hagiwara, Gifu 509-25, Japan]

93-087 Studies on genetic improvement useful fishes by chromosome manipulation-VI. Mass production of triploid amago salmon (*Oncorhynchus rhodurus*) by circulating system of heated water. Kuwada, T., T. Kumazaki, and J. Taguti. 1993. *Rep. Gifu Pref. Fish. Exp. Stat.*, No. 38: 8-13. In Japanese. [Gifu Prefectural Fisheries Experimental Station, Hane, Hagiwara, Gifu 509-25, Japan]

93-088 Pigmentation of all female triploid rainbow trout (*Oncorhynchus mykiss*)-II. Matsuoka, E., K. Hoshino, and K. Satumi. 1993. *Gunma J. Agric. Res.*, No. 9: 5-9. In Japanese. [Gunma Fisheries Experiment Station, Shikishima 13, Maebashi, Gunma 371, Japan]

93-089 Allele frequencies of masu salmon (*Oncorhynchus masou masou*) collected from the Kamoenai area, Hokkaido. Ohkubo, S., and M. Kobayashi. 1993. *Sci. Rep. Hokkaido Fish Hatchery*, No. 47: 27-31. In Japanese with English summary. [Hokkaido Fish Hatchery, Kitakashiwagi 3-373, Eniwa, Hokkaido 061-14, Japan]

93-090 Fusion of fish spermatozoa with polyethylene glycol. Ueno, K., and J. Idomoto. 1993. *Nippon Suisan Gakkaishi*, 59: 1355-1360. [Department of Fisheries, Faculty of Agriculture, Kinki University, Nakamachi, Nara 631, Japan]

DISEASES AND PARASITES

93-091 Lowered affinity of structural protein VP2 to monoclonal antibodies in serial undiluted passage of infectious pancreatic necrosis virus (IPNV). Chi, S.-C., C.-F. Lo, S.-N. Chen, and G.-H. Kou. 1993. *Fish Pathology*, 28: 51-52. [Department of Zoology, National Taiwan University, Taipei, Taiwan, Republic of China]

93-092 Comparative growth response of fish cell lines in different media, temperatures, and sodium chloride concentrations. Fernandez, R. D., M. Yoshimizu, Y. Ezura, and T. Kimura. 1993. *Fish Pathology*, 28: 27-34. [Faculty of Fisheries, Hokkaido University, Minato 3-1-1, Hakodate, Hokkaido 041, Japan]

93-093 Brood and size dependent variation in susceptibility of rainbow trout, *Oncorhynchus mykiss* to artificial infection of infectious hematopoietic necrosis virus (IHNV). Kasai, K., J. Yonezawa, A. Ono, A. Hasegawa, T. Honma, and H. Fukuda. 1993. *Fish Pathology*, 28: 35-40. In Japanese with English summary. [Okutama Branch, Tokyo Metropolitan Fisheries Experiment Station, Kotaba 720, Okutama, Tokyo 198-01, Japan]

93-094 Transfer of maternal immunity of white-spotted char *Salvelinus leucomaenis* against furun-

- culosis. Kawahara, E., T. Inarimori, K. Urano, S. Nomura, and Y. Takahashi. 1993. *Nippon Suisan Gakkaishi*, 59: 567. [School of Fisheries Sciences, Kitasato University, Sanriku, Iwate 022-01, Japan]
- 93-095 Comparative serology of three recent Canadian isolates of aquatic birnavirus.** Kelly, R. K. and O. Nielsen. 1993. *Fish Pathology*, 28: 161-164. [Department of Fisheries and Oceans, Central and Arctic Region, Freshwater Institute, 501 University Crescent, Manitoba, Canada R3T2N6]
- 93-096 Dietary nutrient dependent variations on natural-killer activity of the leucocytes of rainbow trout.** Kiron, V., A. Gunji, N. Okamoto, S. Satoh, Y. Ikeda, and T. Watanabe. 1993. *Fish Pathology*, 28: 71-76. [Department of Aquatic Biosciences, Tokyo University of Fisheries, Konan 4-5-7, Minato, Tokyo 108, Japan]
- 93-097 Studies on a *Vibrio* sp. isolated from diseased coho salmon, *Oncorhynchus kisutch* cultured with deep sea water.** Kusuda, R., K. Murakami, and S. Ohshima. 1993. *Suisanzoshoku*, 41: 1-5. In Japanese with English summary. [Faculty of Agriculture, Kochi University, Otsu 200, Monobe, Nankoku, Kochi 783, Japan]
- 93-098 Biological activity of kidney cells from the coho salmon immunized with *Vibrio anguillarum*.** Kusuda, R., and S. Ohshima. 1993. *Suisanzoshoku*, 40: 433-438. In Japanese with English summary. [Faculty of Agriculture, Kochi University, Otsu 200, Monobe, Nankoku, Kochi 783, Japan]
- 93-099 The influence of long-term administration of peptidoglycan on disease resistance and growth of juvenile rainbow trout.** Matsuo, K., and I. Miyazono. 1993. *Nippon Suisan Gakkaishi*, 59: 1377-1379. In Japanese with English summary. [Central Research Institute for Feed and Livestock ZEN-NOH, Tukuriya, Tukuba, Ibaraki 300-33, Japan]
- 93-100 Anti-infectious hematopoietic necrosis virus (IHNV) substances produced by bacteria from aquatic environment.** Myouga, H., M. Yoshimizu, Y. Ezura, and T. Kimura. 1993. *Fish Pathology*, 28: 9-13. [Faculty of Fisheries, Hokkaido University, Minato 3-1-1, Hakodate, Hokkaido 041, Japan]
- 93-101 Nonspecific viral resistance revealed in rainbow trout (*Oncorhynchus mykiss*) fry inoculated intraperitoneally with formalin-killed infectious hematopoietic necrosis virus (FKHV).** Naganawa, S., O. Nakamura, T. Nishimura, H. Fukuda, and T. Sano. 1993. *J. Tokyo Univ. Fish.*, 80: 155-161. In Japanese with English summary. [Laboratory of Aquatic Pathology, Tokyo University of Fisheries, Konan 4-5-7, Minato, Tokyo 108, Japan]
- 93-102 Infection of the salmon louse *Lepeophtheirus salmonis* (Copepoda: Caligidae) on seawater-farmed salmonids in northern Honshu, Japan.** Nagasawa, K., and S. Sakamoto. 1993. *Fish Pathology*, 28: 143-144. [National Research Institute of Far Seas Fisheries, Orido 5-7-1, Shimizu, Shizuoka 424, Japan]
- 93-103 Recent investigation on drug sensitivity of *Aeromonas salmonicida*.** Nomura, H., S. Tazaki, and K. Suzuki. 1993. *Bull. Saitama Pref. Fish Exp. Stat.*, No. 51: 88-93. In Japanese. [Saitama Prefectural Fisheries Experiment Station, Kitakohama 1060, Kazo, Saitama 347, Japan]
- 93-104 The epidemiological study of furunculosis in salmon propagation.** Nomura, T. 1993. *Sci. Rep. Hokkaido Salmon Hatchery*, No. 47: 1-99. In Japanese with English summary. [Hokkaido Salmon Hatchery, 2-2 Nakanoshima, Toyohira-ku, Sapporo 062, Japan]
- 93-105 Thickening of renal tubules in the kidney of the "Cobalt" rainbow trout.** Oguri, M. 1993. *Nippon Suisan Gakkaishi*, 59: 569. [Laboratory of Fish Biology, Faculty of Agriculture, Nagoya University, Nagoya, Aichi 464-01, Japan]
- 93-106 Redescription of *Paraproteocephalus parasiluri* (Yamaguti, 1934) n. comb. (Cestoda: Proteocephalidae), with notes on four species of the genus *Proteocephalus*, from Japanese freshwater fishes.** Shimazu, T. 1993. *J. Nagano Pref. College*, No. 48: 1-9. [Nagano Prefectural College, 49-7 Miwa 8-chome, Nagano 380, Japan]
- 93-107 Occurrence of a freshwater digenean, *Dimerosaccus oncorhynchi* (Opecoelidae), in masu salmon (*Oncorhynchus masou masou*) caught at sea.** Shimazu, T. and T. Awakura. 1993. *Sci. Rep.*

Hokkaido Fish Hatchery, No. 47: 1-5. [Nagano Prefectural College, 49-7 Miwa 8-chome, Nagano 380, Japan]

93-108 The present status of infectious hematopoietic necrosis (IHN) in aquaculture of Hokkaido. Suzuki, K., and K. Sakai. 1993. *Uo to Mizu*, No. 30: 20-26. In Japanese. [Hokkaido Fish Hatchery, Kitakashiwagi 3-373, Eniwa, Hokkaido 061-14, Japan]

93-109 Monoclonal antibodies against *Aeromonas salmonicida* for serological diagnosis of furunculosis. Yoshimizu, M., S. Direkbusarakom, Y. Ezura, and T. Kimura. 1993. *Nippon Suisan Gakkaishi*, 59: 333-338. [Faculty of Fisheries, Hokkaido University, Minato 3-1-1, Hakodate, Hokkaido 041, Japan]

WATER QUALITY AND ENVIRONMENT

93-110 Plankton environment during the release of juvenile chum salmon, *Oncorhynchus keta*, into the coastal area off Mashike, Japan Sea, northern Hokkaido. Asami, H., and K. Hirano. 1993. *Sci. Rep. Hokkaido Fish Hatchery*, No. 47: 7-14. In Japanese with English summary. [Hokkaido Fish Hatchery, Kitakashiwagi 3-373, Eniwa, Hokkaido 061-14, Japan]

93-111 Herding effect of laser screen for freshwater fishes. Liang, Z., K. Matsuda, Y. Fujimori, and H. Kanehiro. 1993. *Fisherise Engineering*, 30: 1-8. In Japanese with English summary. [Tokyo University of Fisheries, Konan 4-5-7, Minato, Tokyo 108, Japan]

SUPPLEMENTS

92-175 Study on upstream migration of ayu fish and chum salmon through a weir-type fishway at a dam across the lower part of the Naruse River. Sato, R., M. Sugawara, K. Otsuka, J. Ando. 1992. *Fisheries Engineering*, 29: 123-126. In Japanese with English summary. [7-26 Saiwaicho-2 chome, Miyagino, Sendai 983, Japan]

92-176 Some considerations on the development of fish wheel in the Chitose River -about the popular name of so-called Indian water wheel-. Yamada, T. 1992. *Mem. Historical Museum of Hokkaido*, No. 31: 131-146. In Japanese with English summary. [Historical Museum of Hokkaido, Atsubetsu, Sapporo 004, Japan]

Acknowledgments

We thank Ms. Itoko Wada, Ms. Mitsuko Sano, and Ms. Hisako Miyagishima for assistance in preparing the manuscript.

AUTHOR INDEX

- Adachi, S. 93-058.
 Aida, K. 93-048.
 Amano, M. 93-048.
 Aminaka, H. 93-066.
 Ando, J. 92-175.
 Arai, M. 93-003, 93-006.
 Araki, H. 93-063.
 Araya, K. 93-002.
 Asami, H. 93-110.
 Awakura, T. 93-107.
 Ban, M. 93-041.
 Bern, H. A. 93-042.
 Chan, W. K. 93-081.
 Chen, S. -N. 93-091.
 Chi, S. -C. 93-091.
 Chua, K. L. 93-081.
 Darras, V. M. 93-050.
 Deguchi, D. 93-065.
 Dickhoff, W. W. 93-045.
 Dinesh, K. R. 93-081.
 Direkbusarakom, S. 93-109.
 Duan, C. 93-043.
 Endo, M. 93-022.
 Ezura, Y. 93-092, 93-100, 93-109.
 Fernandez, R. D. 93-092.
 Fujimori, Y. 93-111.
 Fujio, Y. 93-085.
 Fujita, T. 93-071.
 Fukuda, H. 93-093, 93-101.
 Fukusho, K. 93-023.
 Fushiki, S. 93-048.
 Gen, K. 93-062.
 Gorie, S. 93-044.
 Gunji, A. 93-096.
 Gwo, J. -C. 93-027.
 Hara, A. 93-039, 93-045, 93-051,
 93-052, 93-055, 93-060, 93-061.
 Hamada, E. 93-043.
 Hanzawa, N. 93-043.
 Hasegawa, A. 93-093.
 Hatano, M. 93-064, 93-065.
 Hattori, K. 93-082.
 Hirano, K. 93-110.
 Hirano, R. 93-027.
 Hirano, T. 93-043.
 Hisashita, T. 93-003.
 Hiayama, Y. 93-019.
 Honma, T. 93-093.
 Horiuchi, R. 93-062.
 Hoshino, K. 93-046, 93-088.
 Hoshino, M. 93-020.
 Hoshino, S. 93-037.
 Hutchison, M. J. 93-011.
 Hyodo, N. 93-020, 93-031.
 Idomoto, J. 93-090.
 Ikeda, Y. 93-096.
 Ikuta, K. 93-012, 93-023, 93-049.
 Inarimori, T. 93-094.
 Inoue, M. 93-014.
 Inoue, S. 93-046.
 Inoue, Y. 93-046.
 Ishida, Y. 93-001.
 Ito, A. 93-049.
 Iwahashi, M. 93-028.
 Iwata, M. 93-021, 93-023.
 Iwatsuki, Y. 93-022.
 Kaeriyama, M. 93-013, 93-032.
 Kanamori, A. 93-046.
 Kanehilo, H. 93-111.
 Kanno, Y. 93-083, 93-084.
 Kasahara, N. 93-047, 93-052.
 Kasai, K. 93-093.
 Katano, O. 93-033.
 Kawahara, E. 93-094.
 Kawai, Y. 93-064.
 Kawamura, H. 93-083, 93-084.
 Kayane, M. 93-009.
 Kelly R. K. 93-095.
 Kijima, A. 93-085.
 Kimura, S. 93-039.
 Kimura, T. 93-092, 93-100, 93-109.
 Kiron, V. 93-096.
 Kitajima, K. 93-046.
 Kitamura, S. 93-012.
 Kitano, S. 93-014, 93-015.
 Kobayashi, M. 93-004, 93-089.
 Kobayashi, S. 93-066.
 Kobayashi, T. 93-048.
 Kogarumai, S. 93-041.
 Kojima, T. 93-049.
 Komada, N. 93-040.
 Kou, G. -H. 93-091.
 Kubo, T. 93-005.
 Kudo, H. 93-055, 93-058.
 Kuge, T. 93-006.
 Kühn, E. R. 93-050.
 Kumano, Y. 93-067.
 Kumazaki, T. 93-087.
 Kurokura, H. 93-027.
 Kurosawa, S. 93-006.
 Kusuda, R. 93-097, 93-098.
 Kuwada, T. 93-086, 93-087.
 Lee, B. 93-047.
 Liang, Z. 93-111.
 Lim, T. M. 93-081.
 Lo, C. -F. 93-091.
 Maekawa, K. 93-015.
 Markovtsev, V. G. 93-019.
 Matsubara, T. 93-051, 93-052.
 Matsuda, K. 93-111.
 Matsuo, K. 93-099.
 Matsuoka, E. 93-046, 93-088.
 Matsushima, Y. 93-034.
 Mayama, H. 93-016.
 Mitani, T. 93-077.
 Miura, T. 93-038.
 Miyachi, S. 93-043.
 Miyakoshi, Y. 93-007.
 Miyasaki, T. 93-068, 93-077.
 Miyazono, I. 93-099.
 Mochida, K. 93-058.
 Mogi, M. 93-006.
 Mol, K. A. 93-050.
 Morioka, K. 93-069.
 Murakami, K. 93-097.
 Myouga, H. 93-100.
 Nagahama, Y. 93-028, 93-048.
 Naganawa, S. 93-101.
 Nagano, M. 93-012.
 Nagasawa, K. 93-102.
 Nakajima, Ka. 93-024.
 Nakajima, Ke. 93-070.
 Nakajima, M. 93-007.
 Nakamura, H. 93-012.
 Nakamura, M. 93-028.
 Nakamura, O. 93-101.
 Nakano, H. 93-047.
 Nakano, S. 93-014.
 Nakasato, T. 93-064.
 Nashimoto, K. 93-038.
 Nielsen, O. 93-095.

- Nishimura, T. 93-101.
 Nishioka, R. S. 93-042.
 Nogawa, H. 93-008.
 Nomura, H. 93-030, 93-036, 93-056, 93-103.
 Nomura, S. 93-094.
 Nomura, T. 93-104.
 Oguri, M. 93-105.
 Ohkubo, S. 93-089.
 Ohshima, S. 93-097, 93-098.
 Ohshiro, T. 93-075.
 Ohtsu, J. 93-053.
 Ohtuka, H. 93-006.
 Okamoto, M. 93-023.
 Okamoto, N. 93-096.
 Okubo, H. 93-017, 93-020, 93-031.
 Okumoto, N. 93-012, 93-023.
 Ono, A. 93-093.
 Ota, J. 93-017.
 Ota, T. 93-076.
 Otsuka, K. 92-175.
 Oya, M. 93-031.
 Ozawa, A. 93-071.
 Phang, V. P. E. 93-081.
 Pongmaneerat, J. 93-072, 93-073, 93-079, 93-080.
 Porn-Ngam, N. 93-074, 93-078.
 Robertson, D. R. 93-054.
 Sakaguchi, M. 93-068, 93-077.
 Sakai, K. 93-108.
 Sakai, N. 93-048.
 Sakamoto, S. 93-102.
 Sakata, K. 93-018.
 Sakata, T. 93-075.
 Sano, T. 93-101.
 Sasakawa, Y. 93-038.
 Sasaki, S. 93-076.
 Sasaki, Y. 93-024, 93-047.
 Satake, M. 93-071.
 Sato, A. 93-046.
 Sato, M. 93-068, 93-077.
 Sato, R. 92-175.
 Sato, Y. 93-009, 93-037.
 Satoh, S. 93-074, 93-078, 93-080, 93-096.
 Satsumi, K. 93-046, 93-088.
 Seki, N. 93-063, 93-067.
 Shikama, T. 93-012.
 Shimazaki, K. 93-055.
 Shimazu, T. 93-106, 93-107.
 Shimizu, M. 93-055, 93-058.
 Shimizu, S. 93-038.
 Shimizu, Y. 93-069.
 Shimoda, K. 93-014.
 Soeda, H. 93-049.
 Sugawara, M. 92-175.
 Sugiwaka, K. 93-010.
 Sullivan, C. V. 93-045.
 Suzuki, K. 93-030, 93-036, 93-056, 93-103.
 Suzuki, K. 93-108.
 Suzuki, T. 93-035.
 Tago, Y. 93-025.
 Taguti, J. 93-087.
 Takagi, T. 93-076.
 Takahashi, K. 93-065.
 Takahashi, Y. 93-094.
 Takano, K. 93-051.
 Takeuchi, T. 93-074, 93-078, 93-080.
 Takeuchi, Y. 93-043.
 Takeyama, S. 93-015.
 Takiguchi, A. 93-066.
 Tazaki, S. 93-030, 93-036, 93-056, 93-103.
 Teranishi, T. 93-029.
 Teshima, S. 93-075.
 Tsuchiya, F. 93-028.
 Tsukamoto, K. 93-031.
 Ueda, H. 93-055, 93-057, 93-058, 93-059.
 Ueno, K. 93-090.
 Ueno, Y. 93-026.
 Ura, K. 93-060, 93-061.
 Urano, K. 93-094.
 Watanabe, T. 93-072, 93-073, 93-074, 93-078, 93-079, 93-080, 93-096.
 Yamada, H. 93-062.
 Yamada, T. 92-176.
 Yamaguchi, M. 93-066.
 Yamaguchi, Y. 93-009, 93-037.
 Yamamoto, S. 93-014.
 Yamashita, K. 93-024.
 Yamauchi, K. 93-052, 93-055, 93-058, 93-059, 93-060, 93-061, 93-062.
 Yonezawa, J. 93-093.
 Yoshimizu, M. 93-092, 93-100, 93-109.
 Yoshinaka, R. 93-068, 93-077.
 Yoza, K. 93-049.